

2007-0662 21-DEC-2007  
2010-1445 12-MAY-2010 Notification : Change in registrant

21-MAY-2008 Notification

# IRGACIDE PT 286X

28-JUL-2010 2010-2528

Notification : Addition of Emergency

Telephone Number

LIQUID  
COMMERCIAL

SLIMICIDE

DANGER



POISON



CORROSIVE

POTENTIAL SKIN SENSITIZER

GUARANTEE:

5-chloro-2-methyl-4-isothiazolin-3-one ....	2.25%
2-methyl-4-isothiazolin-3-one .....	0.75%

REGISTRATION NO. 17427 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

IN CASE OF EMERGENCY  
ENDANGERING LIFE OR PROPERTY  
INVOLVING THIS PRODUCT,  
CALL DAY OR NIGHT  
1-800-454-2673

NET CONTENTS: 100, 200, 205, 1150 Litres or Bulk

Notification Change

~~CIBA SPECIALTY CHEMICALS CANADA INC.~~

~~2626 Argentia Road  
Mississauga, Ontario L5N 5N2  
(905) 812-6145~~

~~1-877-371-2273~~

~~CIBA CANADA LTD.~~

BASF Canada Inc.  
5th Floor 100 Milverton Drive  
Mississauga, ON L5R 4H1

### DIRECTIONS FOR USE

IRGACIDE PT 286X is recommended for the control of bacterial and fungal slime in the production of paper. Slug feed 0.15 to 0.50 kg per dry tonne of pulp or paper produced, or as required to establish control. Badly fouled systems should be cleaned before initial treatment. IRGACIDE PT 286X should be added at a point in the system to ensure uniform mixing such as the beater, hydropulper, or fan or broke storage pump. Avoid storage under freezing conditions.

### PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DANGER – Potential skin sensitizer. Corrosive to eyes and skin. May cause allergic skin reaction. May be harmful if inhaled. May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapours and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse. Wear long pants, a long-sleeved shirt, chemical-resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up and repair.

### ENVIRONMENTAL HAZARDS:

This product is toxic to wildlife, fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other water in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not contaminate water by cleaning of equipment or disposal of wastes.

## **DISPOSAL**

1. Triple or pressure-rinse the empty container. Add rinsings to the treatment site.
  2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
  3. Make the empty container unsuitable for further use.
  4. Dispose of the container in accordance with provincial requirements.
  5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.
- For small spills only - spilled material may be deactivated by adding excess 11% sodium bisulfite or sodium metabisulfite solution, or if these are not available, excess 5% sodium hypochlorite solution. Contact CIBA for further information.

## **FIRST AID**

IF SWALLOWED - Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR ON CLOTHING - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES - Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION**

Probable mucosal damage may contraindicate gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

## **NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.