

2015-1227
2015-05-07

8% COPPER NAPHTHENATE

Principal Panel:

PRESERVATIVE SOLUTION FOR WOOD

READ THE LABEL BEFORE USING

REGISTRATION NO.: 18119

PEST CONTROL PRODUCTS ACT

FOR MANUFACTURING, FORMULATING OR REPACKING.

FOR EXTERIOR USE ONLY - NOT FOR USE IN DWELLINGS.

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

GUARANTEE:

COPPER (PRESENT AS COPPER NAPHTHENATE)... 8%

DANGER

<< Danger-Poison Symbol >>

POISON

WARNING EYE AND SKIN IRRITANT

POTENTIAL SKIN SENSITIZER

NET CONTENTS: 20L, 205L, 1000L, BULK

**Soltex Canada Inc.
30 Dussek Street
Belleville, Ontario K8N 5R8
(613) 966-8881**

Secondary Panel:

DIRECTIONS FOR USE

To be used only in the manufacture of products that are registered under the authority of the Pest Control Products Act.

PRECAUTIONS

- PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

- Avoid breathing vapour. Harmful if swallowed or inhaled.
- Use a cartridge respirator appropriate for the job conditions, e.g., poorly ventilated areas.
- Wear rubber or plastic gloves and appropriate covering clothing when applying this product.
- Use goggles in case of splash hazard.
- COMBUSTIBLE. Do not use near open flame or spark. Do not store in areas subject to excessive heat.
- Do not contaminate bodies of water. This product is toxic to fish.
- Wash thoroughly after use, with soap and water, before eating or smoking.
- Causes skin irritation. Potential skin sensitizer. DO NOT get on skin.
- Keep container closed when not in use.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Contains petroleum distillate and Copper Naphthenate. Treat as for ingestion of kerosene. Vomiting may cause aspiration pneumonia.

DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or provincial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.