

13-APR-2007

(#17495 front pannel)

Superior Inc.

RATOL

DOMESTIC

REGISTRATION NUMBER 17495
PEST CONTROL PRODUCTS ACT

FOR THE CONTROL OF :
NORWAY RATS, ROOF
RATS AND HOUSE MICE

SUPERBAGS I

RODENTICIDE

(POWDER PRODUCT)
GUARANTEE : Chlorophacinone 0.005%

Warning, contains the allergen wheat.

READ THE LABEL
BEFORE USING

KEEP OUT OF REACH
OF CHILDREN AND
DOMESTIC PETS

NET CONTENTS 500 g
5 bags of 100g each

Superior Control Products Inc.

3715, La Fayette est, Boisbriand, Quebec, Canada J7H 1S4, (888) 689-2171

(#17495 SIDE PANNEL)

USE LIMITATIONS : Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

DIRECTIONS FOR USE: FOR THE CONTROL OF NORWAY RATS (*Rattus norvegicus*), **ROOF RATS** (*Rattus rattus*) **and HOUSE MICE** (*Mus musculus*)

Place baits, without opening the pack, in areas visited by rats such as tunnels, paths and where they usually eat. **FOR NORWAY RATS AND ROOF RATS:** Use 1 to 5 Superbags per placement. **For HOUSE MICE:** Place in small piles of 15 to 50 g at distances of 2 to 3 meters. Replace any stale or moldy baits with new baits every 15 days. Maintain bait supply until all signs of feeding cease.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.

May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give 1 to 2 glasses of water to patient and induce vomiting placing finger in throat. Repeat until vomit is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATIONS: If swallowed or absorbed, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin time (P.T.) will determine appropriate therapy. Monitoring (P.T.) will indicate the necessity of repeated treatments.

STORAGE : Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Keep away from fire, open flame or other source of heat.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage.

RODENT DISPOSAL: Dispose of dead rodent in garbage or by burying.

13-APR-2007

(#17495 throw bag 100 g in the box)

Superior inc

NET CONTENTS :
100 g / throw bag

DOMESTIC

RATOL

SUPERBAGS 1
RODENTICIDE (Powder product)

READ THE LABEL AND CARTON BOX BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC PETS

For the control of :
House mice, roof rats
and norway rats

GUARANTEE :
Chlorophacinone 0,005%
Warning, contains the allergen wheat.

REGISTRATION NO. 17495
PEST CONTROL PRODUCT ACT

Manufactured by : Superior Control Products inc.
3715, La Fayette est, Boisbriand, Québec, Canada, J7H 1S4. (888) 689-2171

FIRST AID :

If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give 1 to 2 glasses of water to patient and induce vomiting by placing finger in throat. Repeat until vomit is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container label or product name and Pets Control product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATIONS :

If swallowed or absorbed, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin (K¹) in the form of intramuscular or subcutaneous injections, or by oral ingestion is the suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin time (P.T.) will determine appropriate therapy. Monitoring (P.T.) will indicate the necessity of repeated treatments.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.