

2024-2617
2024-08-06

WEEDX DANDELION BAR
CHEMICAL WEED KILLER WITH 2,4-D

1.13 kg COVERS APPROXIMATELY 965 m²
1.0 kg COVERS APPROXIMATELY 855 m²
0.85 kg COVERS APPROXIMATELY 725 m²

WHEN USED AS DIRECTED

CONTROLS DANDELIONS
EFFICIENT AND NON-VOLATILE
DOMESTIC

FOR THE CONTROL OF BROADLEAF WEEDS

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: 2,4-D.....14.55 % a.e.
(Present as 2,4-D acid)

REG. No. 11852 PEST CONTROL PRODUCTS ACT

NET CONTENTS 0.85, 1.0, 1.13 KG

Superior Control Products Inc.
1937 rue Le Chatelier
Laval, Qc, H7L 5B3
(855) 808-2333

2024-2617

2024-08-06

DIRECTIONS:

A weed killer containing 2,4-D for the control of a wide range of turf weeds including plantain, dandelions, legumes.

HOW TO USE: Remove bar from package and bag. Bend sides of tray away from bar and lift out bar. Allow bar to warm up to working temperatures before use. Tie ends of string provided through circular punchouts in cardboard divider. Drag bar slowly over the complete area to be treated. Walk slowly so the bar will not skip or shudder. Do two applications at right angles to each other. Grass may be treated right to the edge near flower beds or trees, but do not touch any bordering plants.

WHEN TO USE: For best results apply one to three days after mowing grass, and mow the lawn three to six days after first application. Use in 18° C to 27° C temperatures. Wind, rain and lawn watering will not affect the treatment. Apply during active growing season. Repeat application procedure after second mowing.

WHAT TO LOOK FOR: This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds – apply only when weeds are present. 2,4-D will kill the weeds and roots in about two weeks. Fast and twisted growth of the weeds should appear about one week after treatment. If new weeds germinate from drifting seeds, repeat application when new plants pass grass level.

PRECAUTIONS:

Protective Clothing: Wear long-sleeved shirt, long pants, socks, and shoes. Operator Use Precautions: Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before reuse. Do not use on newly seeded lawns. Do not touch bar to flowers, shrubs, trees or other desirable plants. When mowing a treated lawn, do not blow grass cuttings onto flowers or other desirable plants. Avoid contact with skin or eyes. Keep out of reach of children. Do not store near fertilizers, seed or other pesticides.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by disposal of wastes.

FIRST AID: If on skin or clothing, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

2024-2617

2024-08-06

If in eyes, Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Re-Entry Interval for Turf:

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas for 24 hours.

Maximum Application Frequency to Turf:

For good turf/lawn management, normally two applications per year per treatment site are adequate, DO NOT apply more than two broadcast applications per season realizing that two passes (at right angles) constitutes one application. This does not include spot treatments. If weed populations DO NOT warrant a broadcast application (e.g. entire lawn), consider spot treatments that target only weedy areas.

ENVIRONMENTAL HAZARDS: Toxic to broadleaf terrestrial plants. This product may harm other broadleaf plants in the vicinity of the treatment area.

LEACHING: The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

RUN-OFF: To reduce run-off from treated areas into aquatic habitats, consider the characteristics and conditions of the site before treatment. Site characteristics and conditions that may lead to run-off include, but are not limited to, heavy rainfall, moderate to steep slope, bare soil, poorly draining soil (e.g. soils that are compacted, fine textured or low in organic matter and clay). Avoid application of this product when heavy rainfall is forecast.

Contamination of aquatic areas as a result of run-off may be reduced by including a strip of untreated vegetation between the treated area and the edge of the water body.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this control product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.