

WILSON MOSQUITO FOGGING INSECTICIDE

For the control of mosquitoes and
blackflies around the Yard, Patio,
Swimming Pool, Camp and Cottage

Formulated for use in Propane Foggers

DOMESTIC

REG. NO. 17201 P.C.P. ACT

GUARANTEE: Propoxur 0.5%

DANGER



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

2 L

Sure-Gro IP Inc.
P.O. Box 21001
Brantford, ON
N3R 7W9
1-800-268-2806

For outdoor use in propane operated foggers and all types of portable thermal foggers and fogging attachments. Wilson Mosquito Fogging Insecticide provides rapid knockdown and kill of adult mosquitoes and blackflies in outdoor areas.

DIRECTIONS FOR USE: Wilson Mosquito Fogging Insecticide is a ready-to-use solution. For best results apply as a dense fog when the air is calm. Fog in direction of a slight breeze allowing the fog to drift into the area of infestation. Fog while moving away from the area being treated. Apply the fog to completely envelop the area to be treated, contacting as many insects as possible. Apply at the rate of 60 mL per 100 square metres. The best time to fog is in the early morning or late evening, when adult mosquitoes and blackflies are active, and when rising air currents are at a minimum and there is generally little wind. Allow fog to dissipate before occupying the treated area. Mosquitoes and blackflies that have been in contact with the fog should be controlled in 15 to 30 minutes after the fogging application. When using a propane fogger, the equipment must be operated and maintained in accordance with the manufacturer's instruction manual.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED. Avoid inhalation or skin contact. Wash thoroughly after using. Do not contaminate feed or food. Avoid contamination of animal feeding areas, such as pastures and other foraging areas. Do not contaminate water supplies, streams, lakes or ponds. Do not use as an indoor space spray. Do not apply to animals or humans. Toxic to bees. Do not treat plants directly.

FIRST AID: In case of poisoning, call a physician or poison control centre IMMEDIATELY. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Atropine is antidotal. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Large doses of the active ingredient will result in cholinesterase depression. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap and dispose of container with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.wilson.nu-gro.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.