



# **BORID®**

**with BORIC ACID**

## **COMMERCIAL**

**KILLS: Cockroaches, Ants, Carpenter Ants and Silverfish**

- **LONG-LASTING POWDER**
- **ODORLESS**

This product is a nonflammable, stainless, odorless powder that will control cockroach infestations in homes and other buildings.

Borid is a long-lasting powder which is effective as long as it is in place and kept dry.

Product is filled by weight and may settle in shipping.

### **USE IN:**

- Homes
- Restaurants
- Grocery Stores
- Schools
- Warehouses
- Mobile Homes
- Hotels
- Offices
- Apartments
- Attics
- Nursing Homes
- Ships
- Yachts
- Buses
- Kennels
- Zoos
- New Building Construction
- Sewers
- Hospitals

**READ THE LABEL BEFORE USING**

### **GUARANTEE**

Boric Acid .....99.0%

**REGISTRATION NO. 22379**  
**PEST CONTROL PRODUCTS ACT**  
**Product of USA**

**KEEP OUT OF REACH OF CHILDREN**

**Net Contents 11.3 kg**

**Acuity Holdings, Inc.**

11627 - 178 Street

Edmonton AB T5S 1N6

**905-669-9876**

**PRECAUTIONS:** Apply only in areas inaccessible to children and pets.  
HARMFUL IF SWALLOWED. MAY CAUSE EYE IRRITATION. AVOID EYE CONTACT. WASH THOROUGHLY AFTER HANDLING.

**FIRST AID:** In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

#### **DIRECTIONS FOR USE:**

(WITHIN LIVING QUARTERS)

No powder should be visible in living areas after application. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs. Do not use in serving areas when food is exposed. Do not use in edible product areas. Apply approximately 500 g per 100 m<sup>2</sup> of living space.

Apply Borid liberally in areas where cockroaches hide or nest

1. Under and behind appliances.
2. In plumbing voids accessible through holes, around plumbing and drains.
3. In void areas under kitchen and bathroom cabinets (Note: Many cabinets have a gap at the top of the kickplate which offers easy access. If not, drill a small hole at the top of the kickplate.)
4. In drawer wells of cabinets.
5. In cracks around windows, doors, baseplates, fixtures and cabinets.
6. In utility rooms, under and behind hot water heaters, washers and dryers. Be sure to dust plumbing voids.
7. In attics, around the perimeter and vent pipes, above kitchens and baths.
8. Around the perimeter of dropped ceilings.
9. Into pits of elevator shafts, dumbwaiters and trash chutes.
10. Under and behind pallets and boxes in storerooms.

(WITHIN FOOD AREAS AND NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS”

**FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which exposed food is held, processed, prepared or served. FOOD AREAS APPLICATION IS LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Apply in small amounts directly into cracks and crevices using a bellows duster or other suitable equipment capable of applying insecticide directly. Include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, also would be considered a food area.

**NON-FOOD AREAS:** Includes garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces

behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Care should be taken to avoid depositing the product onto surfaces which are exposed or introducing the material into the air. Avoid contamination of food or food processing surfaces. **DO NOT APPLY THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT.**

***SEWER TREATMENT:** Apply this product at a rate not to exceed 1.25 kg per 100 m<sup>2</sup> using portable blowers or air pressure tanks.*

**PRETREATMENT OF NEW CONSTRUCTION:** Apply powder to baseplates and plumbing voids at the rate of 2 kg per 100 m<sup>2</sup>. In attics, apply powder around perimeter of attics and around vent stacks at the rate of 2 kg per 100 m<sup>2</sup>.

**CARPENTER ANTS:** Locate source of infestation. Using powder duster, inject powder for 3-5 seconds into insect tunnels and cavities.

#### **STORAGE & DISPOSAL**

**STORAGE:** Store in original container away from food and feedstuffs. Keep products in a locked storage area.

**DISPOSAL:** Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.