

2011-4512  
2011-10-18

HORNET & WASP KILLER IIB

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl bicycloheptene dicarboximide	0.167%
Propoxur	0.500%

REGISTRATION NO. 20016 PEST CONTROL PRODUCTS ACT

NET CONTENT \_\_\_\_\_ GRAMS

READ THE LABEL BEFORE USING

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

Wellmark International D.B.A. Central Life Sciences  
Suite 200 West, 1501 East Woodfield Road  
Schaumburg IL 60173  
United States

**DIRECTIONS:** - For the control of wasps, bees, hornets, and yellow jackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 to 2.5 metres. To prevent insects from falling on skin and clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

**RESTRICTIONS:** - Do not use inside homes, on humans or animals. Do not use as a space spray.

**PRECAUTIONS:** - KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, and food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50 degrees C as container may burst. Do not use in presence of open flame or spark. (Do not use while smoking). Do not puncture or incinerate container.

**FIRST AID:** - If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** - Propoxur is a carbamate cholinesterase inhibitor. Atropine sulphate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically. Contains volatile Petroleum Distillate.

**DISPOSAL:** - When container is empty, press button to release all pressure. Do not throw into fire. Wrap and dispose in garbage.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.