CALYPSO

CONTROL 5

LIQUID ALGAECIDE

CONTROLS ALGAE in Swimming Pool Waters

DOMESTIC

REG. NO. 28083 P.C.P. ACT

GUARANTEE n-Alkyl (40%C₁₂, 50%C₁₄, 10%C₁₆) Dimethyl Benzyl Ammonium Chlorides.......5%

> Net Contents {Format}

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Sani-Marc Inc. D.B.A. Calypso, 42, rue de l'Artisan Victoriaville, Québec, Canada G6P 7E3 1-866-470-7264

DIRECTIONS FOR USE:

- Initial dosage for pool water having no visible algae is 400 mL of CONTROL 5 per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 200 mL of CONTROL 5 per 10,000 L of pool water.
- 3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination is not employed, add 1 L of CONTROL 5 per 10,000 L of pool water.

Do not apply when swimmers are in the immediate vicinity (a 15-minute restricted-entry interval is recommended

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wear rubber gloves when handling this concentrate.

DISPOSAL:

Do not reuse empty container. Rinse container thoroughly before discarding. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill and for clean-up of spills.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice._Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.