[FRONT PANEL - ENGLISH]

ORTHO[®] [logo]

GRUB-B-GON MAX[™] GRUB ELIMINATOR CONCENTRATE

DOMESTIC INSECTICIDE

Controls white grubs (European chafer & Japanese beetle), ants, chinch bugs, climbing cutworms, earwigs, fall armyworms, fleas, leafhoppers, millipedes, mosquitoes and sod webworms on lawns

NET CONTENTS: 500 mL, 1 L

GUARANTEE:

Carbaryl 22.5% by wt.

Contains 1,2-benzisothiazolin-3-one at 0.017% as a preservative.

REG. NO.: 28195 P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN
SHAKE BEFORE USING

Scotts Canada Ltd. 2000 Argentia Road Plaza #5, Suite 101 Mississauga, ON L5N 2R7



This product contains the SEVIN® brand of carbaryl. Sevin® is a registered trademark of Bayer CropScience.

OPEN
Resealable Label
for Additional Product
Information

GRUB-B-GON MAX[™] GRUB ELIMINATOR CONCENTRATE

PRODUCT FACTS					
CONTROLS INSECTS (as listed on the label)	 White grubs -European Chafer & Japanese Beetle Ants Chinch bugs Climbing cutworms Earwigs 	 Fall armyworms Fleas Leafhoppers Millipedes Mosquitoes Sod webworms 			
WHERE TO USE	• Turf/Lawns • Recreational areas				

[IMAGE OF TELEPHONE]

[ICON OF QUESTION MARK]

Questions, Comments or Medical Information Call 1-800-668-5669 or visit our Web Site at www.scottscanada.ca

DIRECTIONS FOR USE:

TO ASSURE A UNIFORM PRODUCT, ALWAYS SHAKE BEFORE USING.

Be sure the areas of use and pests you wish to treat are listed on the label before you spray. Do not exceed maximum application rate recommended for area of coverage.

Apply when insects and/or their damage appear. To maintain control repeat at 7 to 10 day intervals or as necessary. When a dosage range is indicated, use the lower rate on young and immature insects, and higher rate on mature insects. Thorough and uniform spray coverage is essential for effective control. Avoid application just before rainfall.

Do not use on humans or pets. Do not use inside the home.

Can be applied with either a Green ${\tt Cross}^{\tt B}$ ${\tt Dial-A-Spray}^{\tt B}$ or a compressed air tank sprayer.

Compressed Air Tank Sprayer: Clean sprayer thoroughly before use. Prepare only as much spray mixture as needed on the day of mixing. Fill sprayer with ½ to ¾ the desired amount of water. Slowly add the required amount of Grub-B-Gon MaxTM Grub Eliminator Concentrate and then the remaining volume of water. SHAKE SPRAY MIXTURES FREQUENTLY BEFORE AND DURING USE TO PREVENT SETTLING. Do not store spray mixture overnight. To clean you sprayer after use, drain and flush with water. Do not use contaminated measuring devices for other purposes.

*Green Cross® Dial-A-Spray®: The Green Cross Dial-A-Spray is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Pour Grub-B-Gon Max™ Grub Eliminator Concentrate into the sprayer to fill the jar ¼ to ½ full. DO NOT ADD WATER. After spraying, unused product can be poured back into its original container. PLEASE REFER TO THE DIAL-A-SPRAY LABEL FOR COMPLETE USE INSTRUCTIONS.

5 mL = 1 teaspoon 15 mL = 1 tablespoon 1 L = 0.22 gallon (imperial) 1 gallon (imperial) = 4.55 L 10 sq. metres = 100 sq. feet 1 cm = .394 inches

LAWN AND RECREATIONAL AREAS

NOTE:

- 1. When using a Compressed Air Tank Sprayer, typical spray volumes for lawns and turf are 15 to 20 litres (3.3 to 4.4 gallons) of water.
- 2. Area of coverage: Use the dilution rates/settings in the chart below to treat an area of 10 sq. metres (100 sq. feet). Note: The Green Cross® Dial-A-Spray® will automatically dilute the concentrated product at the correct rate to cover 10 sq. metres (100 sq. feet).

SITE - Turf					
INSECTS		DILUTION RATES			
		GREEN CROSS® DIAL-	COMPRESSED AIR TANK		
		A-SPRAY® SETTING*	SPRAYER		

White Grubs - 2 - 4 42 - 58 mL
European Chafer* (8.5 tsp - 4 tbsp)
Japanese Beetle* - suppression of population

Timing/Application: Remove excessive thatch and water 24 hours before treatment if

soil is dry. Repeat as necessary. *To optimize control of European Chafer and Japanese Beetle apply in late July/early August.

GITE - Turf (ornamental and sports)

SITE -	Turf	(ornamental	and	sports)
--------	------	-------------	-----	---------

INSECTS		DILUTION RATES		
		GREEN CROSS® DIAL- A-SPRAY® SETTING*	COMPRESSED AIR TANK SPRAYER	
Ants Chinch bugs Climbing cutworms Earwigs Fall armyworms	Fleas Leafhoppers Millipedes Mosquitoes Sod webworms	2 - 3	38 - 52 mL (2.5 - 3.5 tbsp)	

Timing/Application: For best results mow lawn and apply after watering or rain. Ensure good penetration of turf. Garden hose or pressure applications may be used. Repeat 2 to 3 weeks later if necessary.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS.

BEE CAUTION: MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms.

PLANT RESPONSE AND PRECAUTIONS: To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

FIRST AID INSTRUCTIONS:

If contact with eyes occurs, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If contact with skin occurs, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Call a poison control centre or doctor for treatment advice. If swallowed, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Note to Physicians: Emergency Information call 1-800-668-5669.

TOXICOLOGICAL INFORMATION:

Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. DO NOT use 2-PAM, opiates, or cholinesterase inhibiting drugs.

STORAGE AND DISPOSAL:

Store unused product in original container only, in a cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 38°C. Protect from freezing. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty container in newspaper and dispose of with household garbage.

Product Use Information: 1-800-668-5669

Web Site: www.scottscanada.ca

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund cheque promptly.

- ® used under license by Scotts Canada Ltd.
- ™ used under license by Scotts Canada Ltd.
- © 2006, Scotts Canada Ltd. World rights reserved.