

This product has been cancelled effective as of 21 August 2023.

2019-6705
2020-06-04

Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

K-G FLEA & TICK QUICK BREAKING INSECTICIDE FOAM FOR DOGS & CATS V

PRESSURIZED

DOMESTIC

Kills

Dog and Cat Fleas,
Brown Dog Tick, American Dog Tick

ACTIVE INGREDIENT:

Pyrethrins	0.100%	
Piperonyl Butoxide	0.200%	
N-Octyl Bicycloheptene Dicarboximide		0.360%

REG. NO. 21078 P.C.P. ACT

NET CONTENTS: 150-550 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
FOR USE ONLY ON DOGS AND CATS
KEEP OUT OF REACH OF CHILDREN

K-G PACKAGING INC.
8001 Keele Street
Vaughan, Ontario
L4K 1Y8
905 669-9855

2019-6705
2020-06-04

DIRECTIONS: Use ONLY in a well-ventilated area, preferably outdoors. SHAKE CAN WELL BEFORE USING. Hold can about 2 cm above pet's back and spray the foam from the pet's head to tail. Do not spray face, eyes or genitals. Rub the foam thoroughly into the pet's coat using a comb, brush or hand. Repeat as necessary, to thoroughly moisten, but not to soak, the entire haircoat. Do not use on puppies or kittens under 8 weeks of age, or nursing females. Do not use on sick animals or animals under drug or other pesticide treatment. Consult veterinarian before using on pregnant animals. Treatment must be repeated only if the pest problem persists or occurs. For effective flea & tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet. **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

PRECAUTIONS:

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do NOT place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Do not spray near open flame or spark or while smoking.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with mouth, eyes, skin and clothing. . Avoid skin contact by wearing rubber gloves. After handling or applying, wash gloved hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with places where food is prepared or stored.

Avoid contact with treated animals until dried. **DO NOT** allow product to contact non-target surfaces.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Do not spray in eyes, or face, or on genitals of pet. Discontinue use if dermal or nasal irritation develops. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

FIRST AID:

HUMANS: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2019-6705

2020-06-04

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL: When container is empty press valve to release pressure. Wrap and dispose of empty container in regular household garbage. Do not puncture or incinerate.