

BUGCON ZEP DYNAMO Spray PLUS
COMMERCIAL

Pressurized Insecticide Spray

Contains a botanical insecticide derived from the chrysanthemum flower.

A heavy duty, commercial aerosol insecticide formulated for use in dwellings, food processing, plants, food service establishments, food storage areas, milk parlours, hospitals, restaurants, super markets, motels, hotels, utilities, industrial buildings: schools, warehouses, offices, theatres, garages, kennels, horse barns, buses, boats, ships, trains, and other transportation vehicles, including food transportation vehicles, milk houses and may also be used in homes when applied by professional pest control technicians.

BUGCON ZEP DYNAMO Spray PLUS for control of Angoumois Grain Moth, Ants, Cadelles, Centipedes, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dermestid Beetles and other Beetles, Drosophilidae, Firebrats, Fleas, Flies, House flies, Horn Flies, Stable Flies, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Moths, Psocids, Rice Weevils and other Weevils, Wasps, American Dog and Brown Dog Ticks, Flying Moths, Exposed Stages of stored product insects.

REG. NO. 20744 PCP ACT

GUARANTEE: Pyrethrins 0.5%

Piperonyl Butoxide 4.00%

READ THE LABEL BEFORE USING

Net Contents

DANGER

EXTEMEY FLAMMABLE

EXPLOSIVE



ALBERTA AEROSOL-GILLEX

P. O. Box 63529 Woodside Sq. Mall.

1571 Sandhurst Circle

Agincourt, ON M1V 1V0

E-mail: glx@bugcon.com - Web: www.bugcon.com

Tel: 416-800-7371

DIRECTIONS FOR USE:**SPACE SPRAY:**

Flying insects: Drosophilidae (Latin) small fruit flies, flies, gnats, mosquitoes, wasps, fruit flies, Indian meal moths, biting midges, Mediterranean flour moths: Close all windows and doors and direct fog upward at a rate of 1-3 seconds per 30m³. Disperse in all locations. Direct spray to all parts of the room especially into dark enclosures and around stored product containers where adult MOTHS may be resting. Leave area closed for at least 30 minutes before ventilating. Repeat weekly or whenever flying moths appear.

CONTACT SPRAY: Angoumois grain moths, cadelles, confused flour beetles, Indian meal moths, rice weevils, saw-toothed grain beetles, carpet beetles, almond moths, chocolate moths, drug store beetles in exposed and larvae stages. Apply to insect hiding and breeding areas, if possible hit insects directly. Repeat as necessary. Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery and dark secluded areas. Cover all food processing surfaces and utensils, and thoroughly clean and rinse with potable water before resuming operation.

NOTE: In food processing plants, and food servicing establishments, apply only when the plant is NOT in operation. No exposed meat or food products, ingredients or packaging material are to be kept in the room. Cover food handling equipment. Remove all food before treatment.

Milk parlors, milk houses: horn fly, house fly, stable fly space spray: Close all doors and windows. Spray upward to fill room with a fine mist. Leave room closed for at least 15 minutes before ventilating.

Carpet beetles: Treat infested area of carpets, localized areas of floors, baseboards and into cracks and under carpets where these pests may be found. Spray 10-20 seconds per 100m² of floor space. Repeat treatment weekly or as insects appear.

Wasp and hornet nests: Releases a fine spray that allows treatment of nests from one metre away. Treat at night or late evening when insects are inside the nest. Apply spray with 2-3 seconds bursts directly into the nest opening so that the liquid contacts the inside of the nest. If unable to spray directly into the nest, a heavy residual spray around and into the opening where insects gain entrance will eventually eliminate the pests. Repeat as necessary.

Dwellings: Clothes moths: Treat infested enclosures, arranging clothing and other articles so that the mist may circulate freely around them. Close for at least 1 hour before ventilating. Do NOT spray closer than 1 metre to fabric.

Fleas: Close windows and doors, hold aerosol 100cm above floor and direct fog toward floor and lower walls at rate of 10 seconds per 10m². Make sure that all floor, sofa and chair surfaces and animal sleeping quarters are contacted. Repeat treatments after 7 days.

Ants, cockroaches, crickets, spiders, silverfish and other crawling insects: Direct spray into cracks and crevices where insects hide; if possible hit insects directly. Hold aerosol close to cracks and mist directly into them contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes. Repeat all treatments as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. In milk parlors and milk houses, remove animals and cover or remove all aquaria before spraying from treatment area before using as a space spray. Do NOT spray over milk or milking equipment. Do NOT contaminate feed or water troughs. Do not use in rooms where milk is processed, handled or stored. Do NOT remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not use on food. Do NOT store or use near an open flame or spark. Avoid inhalation of spray mist. Avoid contact with skin and eyes. Wash after using. Contents under pressure, do NOT place in hot water or near radiators, stoves or sources of heat. Do NOT puncture or incinerate container or store over 50oC. May stain finished surfaces if sprayed too closely. Do not spray closer than 1 metre to fabric. Remove pets, birds and cover fish aquariums before spraying. In dwellings, remove all pets and cover or remove all aquaria before spraying. Remove or cover exposed foods and cooking utensils before spraying. After spraying, wash and rinse surfaces that may contact food.

FIRST AID: If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If sprayed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If sprayed on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.