

2024-1899
2024-11-05

This label has been updated according to the re-evaluation decision for Potassium Dimethyldithiocarbamate, SRD2024-01. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 2026-02-26 in accordance with the phase out period set out in the re-evaluation decision for Potassium Dimethyldithiocarbamate, SRD2024-01. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2024-1899
2024-11-05

AQUARIAN C403

Liquid Microbicide
CONTROL ALGAE - BACTERIA- FUNGI

Industrial

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate.....20%

COMMERCIAL

REGISTRATION NUMBER: 20274

PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING



WARNING

SKIN IRRITANT

POTENTIAL SKIN SENSITIZER



POISON -----CORROSIVE TO EYES

NET CONTENTS

AQUARIAN CHEMICALS INC.

768 WESTGATE ROAD

OAKVILLE, ONTARIO

L6L 5N2

905-825-3711

2024-1899
2024-11-05

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Corrosive to the eye. **DO NOT** get in eyes.

Corrosive to skin. **DO NOT** get on skin.

Potential skin sensitizer.

Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT:

Wear a long-sleeve shirt, long pants, chemical resistant gloves, socks and shoes, protective eyewear (goggles or face shield) when handling the concentrated product or treated process fluids and during clean-up and repair activities. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Avoid contamination of food.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms. Keep out of lakes, streams, or ponds. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty containers.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsing to the treatment site.
2. Follow provincial instructions for any required additional cleaning to the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with the provincial requirements.
5. For information on the disposal of unused, unwanted products, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Product Act to use this product in a way that is inconsistent with the directions on the label.

TOXICOLOGICAL INFORMATION:

Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage.

DIRECTIONS FOR USE:

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans, or other waters.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

NOT for use in brine solution/brine curing solutions.

2024-1899
2024-11-05

Cooling Tower Systems

For use with closed loading and transfer systems only (i.e. dry coupling).

A closed transfer system is defined as a procedure for removing a pesticide from its original container, rinsing the emptied container and transferring the pesticide and rinse solution through connecting hoses pipes, and coupling that are sufficiently tight to prevent exposure of any person to the pesticide or rinse solution. Furthermore, the closed transfer system must be equipped with a dry coupling system that is designed to drip less than 2 ml per coupling.

Prior to use in water cooling towers, systems should be cleaned to remove algae growth, microbiological slime, and other deposits. Then make an initial slug addition of 190 to 575 mL per 10,000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 190 to 575mL per 10,000 litres of water every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleed off and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

Industrial Air Washing Systems: Prior to use in air washers, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 100 to 125ml per 1,000 litres of water in the system. Repeat initial dosage until is evident. Make subsequent slug additions of 50 to 125ml to 1,000 litres of water every 1 to 5 days as needed. The frequency of addition depends upon the relative amount of bleed-off and the severity of the microbiological problem. Slug additions should be made in the sump or to the water collector trays. For use only in systems equipped with effective mist eliminating components.

FIRST AID:

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.