

2017-2108

2017-06-19

20 Mule Team

Polybor 3

Darkling Beetle Control

COMMERCIAL

EYE IRRITANT

Not for food use or drug use

READ THE LABEL BEFORE USING

GUARANTEE:

Disodium octaborate tetrahydrate

($\text{Na}_2\text{B}_8\text{O}_{13}\cdot 4\text{H}_2\text{O}$)98.0% w/w

Registration No. 20477 Pest Control Products Act

NET CONTENTS: 22.5 kg

(50 lb net)

® **U.S. Borax Inc.**

8051 E. Maplewood Ave.,

Suite 100

Greenwood Village, CO

80111 United States

(1) 303 713 5000

Manufactured and Supplied by

U.S. Borax Inc.

14486 Borax Road

Boron, CA 93516-2000 USA

(1) 760 762 7000

Emergency Phone Number

U.S. & Canada toll-free (24 Hr)

(1) 866 928 0789

Non toll-free Number (24 Hr)

(1) 215 207 0061

Supplied by In Canada

P.O. Box 8090

London, Ontario N6G 2B0

Manufactured under management systems

compliant with ISO 9001 and ISO 14001

DIRECTIONS FOR USE:

APPLICATION INSTRUCTIONS:

For dirt-floored grow out houses: Apply Polybor 3 dry with a fertilizer or seed spreader directly to soil at the rate of one kilogram per 10 square meters (two pounds per 100 square feet) when house is empty and after litter has been removed. Reapply annually at the rate of 1/2 kilogram per 10 square meters (one pound per 100 square feet). Prior to the warm season, apply Polybor 3 at the one kilogram (two pounds) rate to the surrounding 2/3 meter (two feet) outside the house under eaves. For interior sidewalls, mix Polybor 3 at the rate of one kilogram per 25 litres of water (two pounds per five gallons of water). Using a pressure sprayer, saturate cement sidewalls, top plates, posts and framing. Spray mix into cracks and crevices around installation. 600 litres of mix will cover a 1000 square meter house (125 gallons of mix will cover a 10,000 square foot house). Reapply spray annually or after each time a house has been disinfected. For best results, allow house to remain empty for at least two to four days before replacing litter. Wear a dust mask or a respirator and goggles when applying dust. Do not apply Polybor 3 directly to the litter. For layer houses and cement-floored grow out houses: Mix Polybor 3 at the rate of one kilogram per 25 litres of water (two pounds per five gallons of water). Using a pressure sprayer, saturate sidewalls, top plates, posts and framing. Spray mix into cracks and crevices around insulation. Apply at the rate of one kilogram of Polybor 3 (25 litres of mix) for each 20 square meter of treated surface (one pound of Polybor 3 [2 1/2 gallons of mix] for each 100 square feet of treated surface). 100 to 150 kilograms will treat a 3000 square meter house (200 to 300 pounds will treat a 30,000 square foot house). Polybor 3 must be applied after each clean-out and after standard sanitation procedures have been completed. Do not apply directly to manure. NOTE: Prior to the warm season, apply Polybor 3 as a dust to the 2/3 meter (2 feet) outside the house under eaves at the rate of one kilogram per ten square meters (2 pounds per 100 square feet).

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use a control product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Wash hands thoroughly after handling. May cause eye irritation. Avoid eye contact. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Avoid contamination of food and food stuffs.

FIRST AID: In case of emergency call the U.S. Borax Inc. 24 hour medical emergency number (1) 866-786-3439. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. ***If in eyes*** - Hold the eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control centre or doctor for treatment advice.

If swallowed - Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. ***If on skin or clothing*** - Take off contaminated clothing. Rinse the skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. ***If inhaled*** - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment.

TOXICOLOGICAL INFORMATION: Note to Physician: Treat symptomatically.

STORAGE AND DISPOSAL:

Storage: Store in cool, dry place away from food and feed stuffs and where children or animals may have access.

DISPOSAL:

1. Thoroughly empty the contents of the container into the application device.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

U.S. Borax Inc.