

USE PATTERNS

Copper Fungicide-insecticide for wood decay, termites, and mildew; including poles and pole-tops, bore holes, posts, lumber, bridge timbers and piling.

CU-89 provides protection against moisture, rot and mildew on any natural wood surface. This Copper Naphthenate wood preservative and insecticide will preserve, protect and seal wood surfaces that will be in contact with soil, water or concrete.

This copper fungicide gives a green cast to CU-89. This product is not intended for use as a stain. The green color will fade within a few months when exposed to sun light. Oil or alkyd stains or paints can be applied over CU-89 after overnight dry but the green may bleed through lighter colors. Do not over coat CU-89 with latex paint or clear finishes until thoroughly cured (6 to 12 months).

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

This product is to be used only for the remedial treatment of exterior industrial wood products having no opportunity for prolonged or direct skin contact with people or animals or contact with food, feed or drinking water. This product is not to be used in children's playground equipment.

Causes eye and skin irritation. Potential skin sensitizer. DO NOT get in eyes, skin or clothing. Workers must wear a long-sleeved shirt, long pants, elongated chemical resistant gloves, chemical resistant footwear and protective eyewear. Harmful if swallowed or inhaled.

Avoid breathing concentrated vapor.

Use a cartridge respirator appropriate for the job conditions, e.g., poor ventilated areas. In addition, a respirator is required for workers applying copper products by brush.

Flammable. Do not use or store near open flame or spark, or in areas subject to excessive heat.

DISPOSAL

1. Triple rinse or pressure-rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

2014-4/26

2014-12-08

CU-89

WOOD PRESERVATIVE SOLUTION

COMMERCIAL

DANGER



POISON

EYE AND SKIN IRRITANT

POTENTIAL SKIN SENSITIZER

KEEP OUT OF REACH OF CHILDREN

FOR EXTERIOR USE ONLY

NOT FOR USE IN DWELLINGS

GUARANTEE:

Copper (present as copper naphthenate).....8%

REGISTRATION NO. 21859 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

MANUFACTURED FOR:



North Star Structural Contractors, Ltd.
215 Greencastle Road
Tyrone, GA 30290 USA
(770) 632-6700

NET CONTENTS: 18.93 L (5 U.S. GALLONS)

TOXICOLOGICAL INFORMATION

Contains petroleum distillate and Copper Naphthenate. Treat as for ingesting of kerosene. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

For the preservation of exterior seasoned wood products. For exterior use only. Not for use in dwellings. DO NOT apply this product to wood that will be used in water.

Stir and dilute before using. Dilute 3.8 liters of this concentrate solution with 11.4 liters of an appropriate hydrocarbon solution (e.t. AWPA P9-87 Type A solvent). Stir well.

CU-89 is not for use in a pressure treatment plant. Apply only to wood that has been cleaned, dried and seasoned. CU-89 should be applied liberally directly to wood by brush, roller, surface flooding or internal injection under pressure for the prevention and control of fungal decay organisms. DO NOT apply using an airless sprayer.

INTERNAL WOOD TREATMENT – To internally treat previously treated utility poles, bridge timbers, pilings or other foundation timbers, apply CU-89 solution to interior cavity of wood structure through prepared opening using air or mechanical pressure pump. Apply 3.8 liters or to refusal.

EXTERNAL WOOD TREATMENT – Use one coat on material to be finished with paint or stain. If no finish is to be used, apply two liberal coats within the hour. Thoroughly cover ends. The more preservative absorbed by the wood, the longer and more effective the protection. Clean painting equipment with mineral spirits for quick clean-up.

Do not use this preservative to prepare a preservative bandage. CU-89 should only be applied directly to the wood structure according to the directions stated on this label.

Do not use this preservative where Copper Naphthenate may contaminate food, feed or drinking water. May be used on greenhouse and garden timbers in contact with non-food producing plants only. Carrier solvent must be allowed to dry thoroughly before introducing plants to prevent phytotoxicity.

STORAGE

Store between -18°C and 60°C. Store only in original container. Keep closed when not in use. Do not store with fertilizer, food or feed.

FIRST AID INSTRUCTIONS

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.