

STIMUKIL FLY BAIT

INSECTICIDE

NET CONTENTS 400 g

GRANULAR

AGRICULTURAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:	methomyl	1.000%
	z-9-tricosene	0.025%

REGISTRATION NO.: 24969
PEST CONTROL PRODUCTS ACT



CAUTION POISON
POTENTIAL SKIN SENSITIZER

Troy Biosciences Inc.
113 S. 47th Avenue
Phoenix, Arizona, U.S.A. 85043
Phone: 1-905-760-7902
(R) T.M. Reg'd.

DIRECTIONS FOR USE:

STIMUKIL FLY BAIT contains a fly attractant which encourages both male and female flies to remain in the treated area, thus feeding on the bait. Bait should be scattered over specified fly feeding surfaces daily or as needed to provide initial knockdown and reduction to fly populations. Distribute bait from container or other device to avoid handling bait. Wear chemical resistant gloves when applying product. When used in areas accessible to birds, bait must be placed in a bait station which prevents birds from consuming the bait.

Barns, Poultry Houses: Scatter bait at the rate of 250 g per 100 m² to window sills and other areas where flies congregate. Apply only to areas out of reach of animals. For caged poultry scatter bait on walkways.

Dog Kennels: Scatter bait around outside areas of dog pens, runways, out of reach of animals at the rate of 250 g per 100 m².

DO NOT apply this product directly to freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) or to estuarine/marine habitats.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Spilled fly bait granules must be cleaned up by collecting the bulk of granules and any remaining on the soil surface should be buried.

Not for use in residential areas. Residential areas are defined as sites where bystanders, including children, may be potentially exposed during or after application. This includes around homes, school, parks, playgrounds, playing fields, public buildings or any other areas where the general public including children could be exposed.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN: Hazardous to Humans and Domestic Animals: May be fatal if swallowed, inhaled, or absorbed through the skin or eyes. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Do not contaminate feed, water, food or litter. Do not apply where poultry or animals can pick it up or lick the product. Do not use in homes or where food is processed or stored. Do not feed treated garbage to livestock. Use only in areas inaccessible to food producing animals.

- Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no instructions are available, wash PPE using detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing or other materials that have been drenched or heavily contaminated with this product. Do not reuse them.
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Wear cotton coveralls over a long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves.

THIS PRODUCT IS NOT TO BE USED INSIDE OR AROUND HOMES, OR ANY OTHER PLACE WHERE CHILDREN OR PETS ARE LIKELY TO BE PRESENT.

PERSONAL PROTECTIVE EQUIPEMENT (PPE): Wear chemical-resistant gloves during application

TOXICOLOGICAL INFORMATION:

Methomyl is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

FIRST AID:

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE AND DISPOSAL: Keep bait in original container, tightly closed and stored in a cool place. Do not contaminate water, food or feed by storage or disposal. Do not re-use empty container. Follow provincial instructions for any required additional cleaning prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms. Toxic to birds and small wild mammals. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body. The use of this chemical may result in contamination of ground water particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

^(R) Registered Trade Mark of Troy Biosciences Inc.