

SANI-MARC
LIQUID ALGAECIDE 12%

LIQUID ALGAECIDE

CONTROLS ALGAE in Swimming Pool Waters

DOMESTIC

REG. NO. 22918 P.C.P. ACT

GUARANTEE

n-Alkyl (40% C₁₂, 50% C₁₄, 10% C₁₆) Dimethyl
Benzyl Ammonium Chlorides.....12%

Net Contents

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Sani-Marc inc.
42, rue de l'Artisan, Victoriaville, QC G6P 7E3
1-866-470-7264

DIRECTIONS FOR USE:

1. Initial dosage for pool water having no visible algae is 170 mL of SANI-MARC LIQUID ALGAECIDE 12% per 10,000 L of pool water.
2. Weekly maintenance dosage is 85 mL of SANI-MARC LIQUID ALGAECIDE 12% per 10,000 L of pool water.

3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait at least 24 hours before adding weekly maintenance dosage.

4. For visible algae, when superchlorination is not employed, add 420 mL of SANI-MARC LIQUID ALGAECIDE 12% per 10,000 L of pool water.

Do not apply when swimmers are in the immediate vicinity (a 15-minute restricted entry interval is recommended)

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wear rubber gloves when handling this concentrate.

DISPOSAL:

Do not re-use empty container. Rinse container thoroughly before discarding. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID:

If in eyes: Hold eye open and rinse and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, .Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an uncounscious person. If inhaled: Move person to fresh aire. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control

centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.