

2020-1550
2020-08-04

[foil pouch label]

[primary panel]

ROUNDUP QUIK STIK
Non-Selective Herbicide Tablets

See back for opening instructions

DOMESTIC

GUARANTEE: Glyphosate 60%

WARNING, CONTAINS THE ALLERGEN SODIUM SULFITE.

REG. NO. 23786 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 1 effervescent tablet (9 grams)

[secondary panel]

Tablet must be dissolved in water before using. Tablet will dissolve in 2-3 minutes. Read carton label before using.

PACK OPENING INSTRUCTIONS

1. Locate slit in corner
2. Fold corner at slit
3. Tear at slit to open.

Bayer CropScience Inc.
Suite 200, 160 Quarry Park Blvd. SE
Calgary, AB
T2C 3G3
1-866-476-7645

2020-1550
2020-08-04

ROUNDUP® QUIK STIK
Non-Selective Herbicide Tablets

GRASS AND WEED CONTROL
No soil residual activity

Add 700 mL of water per tablet prior to use. Each tablet treats 14 square meters.

USES: Lawn Edging/Trimming, Patio Weed Control, Lawn/Garden Renovation, Hard-to-Mow Areas

DOMESTIC

NET CONTENTS: 3 x 9 gram tablets

GUARANTEE: Glyphosate 60%

WARNING, CONTAINS THE ALLERGEN SODIUM SULFITE.

REG. NO. 23786 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Bayer CropScience Inc.
Suite 200, 160 Quarry Park Blvd. SE
Calgary, AB
T2C 3G3
1-866-476-7645

2020-1550

2020-08-04

PRECAUTIONS:

CAUTION: EYE IRRITANT.

HARMFUL IF SWALLOWED

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes or prolonged contact with skin.

Do not use when eating, drinking or smoking.

Wash thoroughly with soap and water after handling this product.

Do not allow others such as children and pets on treatment areas during application or to re-enter treated areas until spray has dried.

FIRST AID:

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INGESTED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

GENERAL INFORMATION

ROUNDUP Quik Stik, a non-selective vegetation control herbicide, when dissolved in water controls most annual and perennial grasses, including lawn grasses, broadleaf weeds and brush (i.e., virtually anything that is green and growing). A systemic herbicide, it is absorbed by the leaves and moves throughout stem and roots to control the entire plant. Visible symptoms of control will occur within 3 days with complete kill in 2-4 weeks. For best results, apply to actively growing plants in sunny weather. One application will control most weeds. If certain hard-to-control weeds are not completely killed within 4 weeks, repeat application. Treated areas can be reseeded or replanted 3 or more days after application.

2020-1550

2020-08-04

NOTE: ROUNDUP has no soil activity and will not leach or run off to affect nearby vegetation. Plants must be present to be controlled. Repeat applications will be required as new seedlings and vegetation emerge.

CAUTION:

Avoid spray contact on desirable plants as any plant contacted may be killed. If spray or drift accidentally contacts desirable vegetation, wash off immediately with water. Do not spray in windy conditions. Do not spray to the point of run-off. Heavy rainfall immediately after application may wash the chemical off the foliage and repeat treatment may be required. Do not apply if rainfall is forecast for the time of application.

DIRECTIONS FOR USE:

Glyphosate is not to be applied using hand-wicking or hand-daubing methods.

MIXING DIRECTIONS:

- Use pump-up or hand-trigger sprayers, with a minimum capacity of 700mL, which is used solely for pesticide application only.
- Fill the sprayer with 350 mL of clean water and then add one (1) effervescent tablet.
- Wait until the tablet has completely dissolved (2-3 minutes) and add an additional 350 mL of clean water. One tablet makes 700 mL of spray solution.
- Use of hose-end sprayers or sprinkler devices may result in poor and/or erratic results.
- Do not apply this product through any type of irrigation system.

NOTE:

- DO NOT SHAKE the sprayer to accelerate dissolution.
- DO NOT SEAL THE SPRAYER UNTIL THE TABLET IS COMPLETELY DISSOLVED.

2020-1550

2020-08-04

APPLICATION DIRECTIONS:

USE	APPLICATION INSTRUCTIONS	CONTROLS	COVERAGE
Undesirable vegetation control (i.e., hard to mow areas, around buildings). Lawn trimming/edging, patio weed control, vacant lots, storage & recreational areas, driveways.	Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For perennial weeds apply after seed heads, flowers or berries appear.	Most annual and perennial grasses and weeds such as quackgrass, chickweed, ragweed, knotweed, poison ivy, Canada thistle, milkweed, bindweed.	Ensure uniform and complete spray coverage but not to the point of run-off. 700 mL of spray solution will treat a total of 14 square meters (7 paces and 2 paces*). * 1 pace = approx. 1 meter
Around Trees/Shrubs/Ornamentals	Apply around base in a neat fashion. Avoid spray or drift contact with foliage, stems or green bark of desirable plants.		
Lawn/Garden Renovation	For best results on lawns, skip one mowing prior to treatment. Allow at least 3 days after treatment before		

2020-1550
2020-08-04

USE	APPLICATION INSTRUCTIONS	CONTROLS	COVERAGE
	disturbing the soil and/or replanting.		
Brush control	Apply after leaves are fully expanded. Treat trees and brush up to 1.5 m in height only; for taller plants cut down and spray regrowth.	Most brush such as Poplar, Alder, Maple and Raspberry.	

CLEANING EQUIPMENT:

Rinse sprayer three times and flush all sprayer components with water to remove residues of this product. After thorough cleaning, equipment may be used to apply other pesticide products.

STORAGE AND DISPOSAL:

Do not contaminate water, foodstuffs, seed or feed by storage or disposal. **STORE THIS PRODUCT ONLY IN ITS ORIGINAL PACKAGE AND IN A SECURE STORAGE AREA.** Protect product from moisture.

To dispose of unused product, securely wrap original package in several layers of newspaper and discard with household garbage. Do not reuse inner wrapping or outer packaging. Discard both with household garbage.

Not for reformulation or repackaging.

Roundup® is a registered trademark of Bayer Group. Used under license ©2020 Bayer Group. All rights reserved.