

2019-6684
2020-05-15

Group	3	Insecticide
-------	----------	-------------

BACK RUBBING SOLUTION

FOR BEEF CATTLE AND LACTATING AND NON-LACTATING DAIRY CATTLE ONLY

DO NOT use on any other animal.

Controls horn flies, face flies and black flies on beef cattle and lactating and non-lactating dairy cattle.

AGRICULTURAL

Ready to use

ACTIVE INGREDIENT:

Permethrin1.0%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Store product in the original container. Keep tightly closed

REGISTRATION NO.

23249

PEST CONTROL PRODUCTS ACT

Net Contents: 10L

Can-Vet Animal Health Supplies Ltd.

4-61 Malcolm Rd.

Guelph, ON N1K1A7

519-822-5333

DIRECTIONS FOR USE:

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

For use on beef cattle and lactating and non-lactating dairy cattle to control horn flies, face flies and black flies. DO NOT dilute. Apply Can-Vet Back Rubbing Solution to back rubbing device. One device should be continuously available for each 35 to 45 head of cattle. Refill back rubbing device every 2 to 3 weeks. Treatment must only be repeated if pest problem persists or reoccurs. DO NOT exceed 12.5 mL product/animal/day. If irritation appears, discontinue use. DO NOT store or use near open flame. Leave a one day interval between last application and slaughter.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Wear long pants, long-sleeved shirt, chemical-resistant gloves, shoes, and socks during mixing, loading, application, clean-up and repair, unless otherwise specified. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. If irritation appears, discontinue usage. Wash contaminated clothing before reuse. Do not contaminate feed, food or water. Contents toxic to fish and birds. Store in original container away from feed and food. Use only when milk room is NOT in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

ENVIRONMENTAL PRECAUTIONS:

This product contains a petroleum distillate at 99% (proportion by weight) which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application.

DISPOSAL: Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes, flush with clear water for 15 minutes; get medical attention.

Product Contains Petroleum Distillate. If swallowed DO NOT induce vomiting. Call physician immediately or Poison Control Center. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

RESISTANCE MANAGEMENT RECOMMENDATIONS: BACK RUBBING SOLUTION

contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to BACK RUBBING SOLUTION and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but are specific for individual

2019-6684
2020-05-15

chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance:

1. Where possible, rotate the use of BACK RUBBING SOLUTION or other Group 3 insecticides with different groups that control the same pests.
2. Use tank mixtures with insecticides from a different group that is effective on the target pest when such use is permitted.
3. Insecticide use should be based on an IPM program that includes scouting and record keeping, and considers cultural, biological and other chemical control practices.
4. Monitor treated pest populations for resistance development.
5. Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
6. For further information or to report suspected resistance contact Can-Vet Animal Health at (519) 822-5333

NOTICE TO BUYER: Seller's Guarantee Shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.