

2017-3980
2017-09-01

SIMANEX

(SIMAZINE) TECHNICAL

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING.

REGISTRATION NO. 21968
PEST CONTROL PRODUCTS ACT

GUARANTEE: Simazine 97%

READ THE LABEL BEFORE USING

KEEP OUT OF THE REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL

NET CONTENTS: 35 Kg

ADAMA Agricultural Solutions Canada Ltd.

300 – 191 Lombard Avenue
Winnipeg, MB
R3B 0X1
1-855-264-6262

DIRECTIONS FOR USE:

To be used only in the manufacture of a herbicide which is registered under the Pest Control Products Act.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL.

Harmful if swallowed. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. No residue tolerances are established for fish. Do not contaminate any body of water. Do not contaminate foods or feeds. After using, wash sprayer thoroughly with clean water. Do not reuse empty container.

FIRST AID INSTRUCTIONS:

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Technical simazine is not acutely toxic (oral LD50 >5 grams/kg, dermal LD50 >2 grams/kg). Treatment, if required, should be conducted symptomatically as there is no specific antidote. Note to physician: If ingested: 1) lavage stomach, 2) alkaline catharsis.

2017-3980
2017-09-01

DECONTAMINATION AND DISPOSAL:

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE:

Keep in original container during storage. Store product in cool, dry, well ventilated place away from seed, feed, fertilizer or other pesticides. Keep away from fire or open flame or other sources of heat.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.