

2019-6708
2020-07-10

This product has been cancelled effective as of 21 August 2023.
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

K-G Flea & Tick Spray for Dogs & Cats IX

PRESSURIZED
DOMESTIC

Kills Fleas & Ticks on
Dogs and Cats such as Dog and Cat Flea, American Dog & Brown Dog Tick

ACTIVE INGREDIENT:

Pyrethrins	0.100%	
Piperonyl Butoxide	0.200%	
N-Octyl Bicycloheptene Dicarboximide		0.336%

REG. NO. 21889 P.C.P. ACT

NET CONTENTS: 100-450 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
USE ONLY ON DOGS AND CATS
KEEP OUT OF REACH OF CHILDREN

K-G PACKAGING INC.
8001 Keele Street
Vaughan, Ontario
L4K 1 Y8
905 669-9855

2019-6708
2020-07-10

DIRECTIONS: Use ONLY in a well-ventilated area, preferably outdoors. Shake well before using. Wet animal's head to drive pests onto the body. Remove cap. Hold can in upright position 25-30 cm from pet and spray evenly to lightly dampen coat over entire body beginning at head and working towards the tail. Pay special attention to neck and hindquarters. Do not spray face, eyes or genitals. As you spray, fluff the hair so that spray will penetrate to the skin but spray only until hair is damp--not wet. Apply as evenly as possible because fleas will migrate to untreated areas (e.g. toes, foot pads, around ears). Do not soak animals. Comb and brush into coat. Spray ticks directly. Also spray bed and living quarters if needed. Do not use on puppies or kittens under 8 weeks of age, or nursing females. Do not spray more than once a week. Consult veterinarian before use on pregnant animals. Do not use on sick animals or animals under drug or other pesticide treatment. Treatment must be repeated only if the pest problem persists or reoccurs.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

PRECAUTIONS:

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do NOT place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Do not spray near open flame or spark or while smoking.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with mouth, eyes, skin and clothing. . Avoid skin contact by wearing rubber gloves. After handling or applying, wash gloved hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with places where food is prepared or stored. Avoid contact with treated animals until dried. **DO NOT** allow product to contact non-target surfaces.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Do not spray in eyes, or face, or on genitals of pet. Discontinue use if dermal or nasal irritation develops. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

FIRST AID:

HUMANS:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

2019-6708
2020-07-10

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: Sensitivites may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty press valve to release pressure. Wrap and dispose of empty container in regular household garbage. Do not puncture or incinerate.