

2017-0407
30-JAN-2017

Primary panel

**WILSON®
HOSE-SPRAY
MALATHION
INSECTICIDE - MITICIDE**

For Vegetables, Fruits, Flowers and Ornamentals.

DOMESTIC

REG. NO. 21850 P.C.P. ACT

GUARANTEE: Malathion 15%

DANGER



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

1 L

Sure-Gro IP Inc./ Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001, Brantford, ON N3R 7W9
1-800-268-2806

Expiry Date: yyyy-mm-dd

Lot # XXXXX

This product is not to be sold or applied after the expiry date above.

Secondary panel

- No measuring
- No mixing
- Simply attach and spray

DIRECTIONS FOR USE: For outdoor use only. Apply Wilson® Hose-Spray Malathion using the hoseend applicator attached to accurately dilute this concentrated insecticide. Read the complete label for application instructions and precautions.

1. Shake container thoroughly before attaching to garden hose.
2. Turn water supply on at the source. Water pressure will build in hose since the sprayer is already in the “OFF” position.
3. To apply product, bend safety tab and turn the control valve clockwise to the “ON” position.
4. For best results, hold sprayer and bottle level.
5. When spraying is complete, turn the control valve clockwise so that the valve indicator arrow is pointing to the “WATER” position on the sprayer. Flush with water to clean sprayer head, then turn the control valve to “OFF” position. Turn water off. Disconnect hose from applicator and store product in original container.

NOTE: “WATER” position is to be used only for cleaning sprayer head.

Avoid application of this product when winds are gusty. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

APPLICATION: Vegetables, Fruits, Flowers and Ornamentals: To control Aphids, Bagworm, Beetles, Budmoths, Cabbageworm, Caterpillars, Codling Moth, Currant Fruitworm, Fruit Moth, Lace Bugs, Leafhoppers, Leafminers, Leafrollers, Mealybugs, Mites, Pine Shoot Moth, Plum Curculio, Pear Psylla, Plant Bugs, Raspberry Fruitworms, Tent Caterpillars, Whitefly. Spray to wet surfaces of foliage but not run off. Apply at first appearance of insects. Repeat application as required or at 7 day intervals. Do not apply within seven days of harvest of edible crops. Leaf Lettuce within fourteen days. Injury may occur to African Violet, Crassula, Fern, Petunia, Sabina and Canaerti Juniper, Red Maple, McIntosh and Courtland Apples, Bosc and Bartlett Pears, and Ribier Grapes.

TREATMENT OF OUTDOOR STRUCTURAL FOUNDATIONS ONLY and 1 m wide path surrounding the foundation (exterior walls and around buildings).

CAUTION: Rate of delivery of product will vary depending on water pressure, location, time-of-day length and diameter of hose, etc. Complete contents of container (1 L) can be sprayed in approximately 3 to 6 minutes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

ENVIRONMENTAL HAZARDS: TOXIC to birds and aquatic organisms. Highly toxic to fish and bees. Avoid contamination of ponds and streams. Spray flowers in late evening.

FIRST AID: DANGER. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the

first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine and 2-PAM are antidotal.

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of malathion forms when malathion product is stored at elevated temperatures or for extended periods of time. Malathion product must be stored in a cool (< 23°C), dry, well ventilated place away from seed, fertilizer or other pesticides. Do not use after the expiry date.

DISPOSAL: Wrap and dispose of empty container with regular garbage. Never reuse container.

For additional product information or in case of emergency, spills or fire call toll-free 1-800-2682806.

www.pthomeandgarden.com

Dilution Markings on Label:

750 mL

500 mL

250 mL