

2017-3982
2017-10-20

ECLIPSE 609

MICROBICIDE

INDUSTRIAL

A broad spectrum liquid microbicide for the control of algae, bacteria and fungi.
Non foaming. Effective at both acidic and alkaline pH.

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

**REGISTRATION NO.: 25212
PEST CONTROL PRODUCTS ACT**

GUARANTEE :

Poly(oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene
dichloride).....15% (by weight)

NET CONTENTS: Litres; Kilograms

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Pesticide rinsate that cannot be used or chemically reprocessed should be disposed of in an approved landfill away from water supplies.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Chemco Products Incorporated
1349 Grand Oaks Drive
Howell, MI 48843 USA
1-517-546-7800

**24-HOUR EMERGENCY TELEPHONE NUMBER:
1-800-424-9300**

DIRECTIONS FOR USE:

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, ocean or other waters.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

COOLING TOWER SYSTEMS:

Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 280 to 700 mL per 10,000 litres of water should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 80 to 700 mL per 10,000 litres of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

INDUSTRIAL AIR WASHING SYSTEMS:

For use only in systems equipped with effective mist eliminating components.

Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 100 - 160 mL per 1,000 L of water, should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 70 to 160 mL per 1000 litres of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN

Do not mix with any other chemical. Harmful if swallowed. Avoid contact with skin and eyes. Wear a long-sleeved shirt and long pants, chemical-resistant gloves during handling, clean-up and repair activities. In addition, a chemical-resistant apron is required for workers handling enduses products in industrial settings. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

2017-3982

2017-10-20

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Note to physician: Probable mucosal damage following ingestion may contraindicate the use of gastric lavage. Treat symptomatically.

DISPOSAL:

1. Triple-or pressure-rinse the emptied container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.