

This product has been cancelled effective as of 2022-12-08. Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

(front panel)

TANK TONIC™

FUEL FUNGICIDE

READ THE LABEL BEFORE USING.

COMMERCIAL

REGISTRATION NO. 24234 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT:

2,2'-(1-methyltrimethylenedioxy)bis-
(4-methyl-1,3,2-dioxaborinane67.6%
2,2'-oxybis(4,4,6-trimethyl-1,3,2-dioxaborinane).....27.4%
(Expressed as available Boric Acid 42.3%)

CHECK-MARK®

Div. of NCH Canada Inc.

247 Orenda Road

Brampton, Ontario L6T 1E6

1-800-268-0838

Toronto * Montréal * Vancouver * Calgary * Moncton

NOT INTENDED FOR HOUSEHOLD USE OR RESALE

CAUTION—KEEP OUT OF REACH OF CHILDREN.

HARMFUL OR FATAL IF SWALLOWED.

DANGER—CORROSIVE TO EYES.

NET CONTENTS: 946 mL

(side panel)

DIRECTIONS FOR USE:

TANK TONIC is a BIOCIDES for the control of microorganisms in marine fuels, home oils, diesel fuel, and other hydrocarbon systems. TANK TONIC is manufactured and sold for the above

uses. This product is licensed for USE ONLY in the specific applications for which it is sold. USE AS DIRECTED.

FOR PREVENTION AND ELIMINATION OF MICROBIAL GROWTH IN ALL HYDROCARBON FUELS SUCH AS KEROSENE, #1 AND #2 DIESEL FUELS, HOME HEATING OIL, MARINE DIESEL, AND BUNKER "C" FUEL.

Notice: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions of established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

INSTRUCTIONS: FOR STORAGE, HANDLING, AND BLENDING OF TANK TONIC:

TANK TONIC is an effective microbicide because of its equilibrium solubility on both fuel and water under conditions of jet fuel storage, handling, and use. **HANDLING AND STORAGE:** All TANK TONIC containers must be kept closed from the atmosphere. Protect TANK TONIC from any water contamination. This container is NOT to be re-filled with TANK TONIC. **BLENDING:** The normal working concentrations of TANK TONIC in fuels are 135 to 270 ppm (10 to 20 ppm boron). The preferred method of blending is by metered injection directly into a flowing stream of fuel. If necessary the additive can be satisfactorily batch-blended in water free mix tanks. If batch-blending is used, e.g. tank truck, TANK TONIC should be introduced into the tank while it is being filled. To ensure uniform dispersions throughout the hydrocarbon phase, TANK TONIC should be added when the tank is approximately one-half filled.

Fuel Requirement	TANK TONIC (270 ppm)	TANK TONIC (135 ppm)
1000 L	200 mL	100 mL
3000 L	600 mL	300 mL
6250 L	1.25 L	625 mL
12500 L	2.50 L	1.25 L

PRECAUTIONS: Do not use in closed spaces without adequate ventilation. Avoid contact with skin, clothing, and especially the eyes.

Personal Protective Equipment (PPE):

Mixers, loaders, and others involved in the preparation, use, and clean-up of dioxaborinane must wear:

- long-sleeved shirt and long pants,
- eye protection

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Symptoms: Ingestion. Based on animal experiment, one would anticipate acute gastritis and enteritis with severe nausea and vomiting. With large doses CNS depression with laboured respiration and depressed righting and placement reflexes are observed in animals. TANK TONIC contains 8.38% petroleum naphtha.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

For medical or environmental emergencies, call CHEMTREC® at 1-800-424-9300.

To reorder, call TOLL FREE: 1-800-268-0838