

2011-0663
2011-09-16

X-CIDE[®] 402

**Liquid Bactericide
SOLUTION
COMMERCIAL
FOR USE IN INDUSTRIAL PROCESSES ONLY
NOT FOR DOMESTIC USE
READ LABEL BEFORE USING**

GUARANTEE:

Oxydiethylene bis (*Alkyl dimethyl ammonium chloride) 17.8%
*Alkyl -1,3-propylenediamine Acetate.....28.5%
*(7% C₈, 6.5% C₁₀, 53% C₁₂, 19% C₁₄, 8.5% C₁₆, 6% C₁₈)

DANGER

POISON

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

REGISTRATION NO. 24764
PEST CONTROL PRODUCTS ACT

DISTRIBUTED BY:

**BAKER HUGHES CANADA COMPANY
GULF CANADA SQUARE. 1000-401 9TH AVE. SW
CALGARY, AB T2P 3C5**

EMERGENCY CONTACT (24 HOURS PER DAY) 800-231-3606

NET CONTENTS: 208 Liters at 15.5° C

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONS: DANGER CORROSIVE TO EYES.

Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Avoid contact with skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. When handling this concentrate wear goggles or a face shield, chemical-resistant gloves, long pants, a long-sleeved shirt, and shoes plus socks. Remove and wash contaminated clothing before reuse. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. **DO NOT** discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. The requirements of applicable laws should be determined before using the product. Not for use in marine or estuarine oilfields.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Avoid alcohol.

STORAGE

Do not use, pour, spill, or store near heat or open flame.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

Apply the product using closed delivery systems such as a dry coupling and/or metering pump.

X-CIDE 402 is a brine soluble, liquid polyamine semipolar compound possessing excellent corrosion and bactericidal properties.

X-CIDE 402 is recommended for use in non-potable type industrial water systems where bacterial slime and corrosion problems exist. Examples of industrial application are as follows: oilfield and petrochemical water injection systems and cooling water recirculating systems.

X-CIDE 402 is designed to control both aerobic and anaerobic types of bacteria.

TREATMENT APPLICATION

Treatment dosages may vary from 500 ppm in slug type applications to 30-50 ppm of **X-CIDE 402** in continuous type application. A typical slug application is 120 ppm **X-CIDE 402**.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

REV 12/10

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.