

2024-1377

2024-07-18

Ultra-Fresh* 40

INDUSTRIAL Suspension

CAUTION

POISON

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT: Diiodomethyl P-tolyl Sulfone 39.2%

POST A COPY OF THIS LABEL IN THE TREATMENT AREA

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. Wear coveralls over long pants, a long-sleeved shirt, chemical-resistant gloves and footwear, a face-shield or goggles while cleaning equipment and handling product. Wash thoroughly after handling.

Use a closed transfer system when mixing and loading. A closed transfer system is defined as a procedure for removing a pesticide from its original container, rinsing the emptied container and transferring the pesticide and rinse solution through connecting hoses pipes, and coupling that are sufficiently tight to prevent exposure of any person to the pesticide or rinse solution. Furthermore, the closed transfer system must be equipped with a dry coupling system that is designed to drip less than 2 mL per coupling.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

2024-1377

2024-07-18

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS

Toxic aquatic organisms. Do not contaminate any body of water by cleaning of equipment or disposal of waste. DO NOT discharge effluent containing this product into sewer system, lakes, streams, ponds, estuaries, oceans or other waters.

DISPOSAL:

- 1) Triple rinse or pressure rinse the empty container. Add the rinsings to the treatment site.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial requirements.
- 5) For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

STORAGE:

Store in a cool dry place in original container. Avoid exposure to direct sunlight. Do not contaminate with ketones and strong bases. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DIRECTIONS FOR USE:

Not for use in products designed for food packaging materials or in areas where food is stored, handled or processed.

USE IN PIGMENT DISPERSIONS

Ultra-Fresh* 40 is an effective mildewcide and algicide for pigment dispersions. DO NOT use this product for in toys or finger paint. Use levels are dependent upon paint formulation to be protected and upon the expected severity of field conditions. In pigment dispersions, use Ultra-Fresh* 40 at concentrations ranging from 0.02-0.0391% (w/w active ingredient). A suggested procedure is to add the water, Ultra-Fresh* 40, glycols, wetting agents and then pigments in the dispersion process. The maximum application rate of 0.3% active ingredient (or 36 kg of product per 1000 Litres of paint) is not to be exceeded.

Wear long pants, a long-sleeved shirt and chemical-resistant gloves when applying with airless sprayers. It is suggested that the formulator perform field trials within the label rates to determine the best rate for preservation of their paint.

2024-1377

2024-07-18

Manufactured paint products containing the preservative diodofon must be labelled with the following information:

Professional painters USING AN AIRLESS SPRAYER must wear coveralls over a long-sleeved shirt and long pants, chemical-resistant gloves, a painter's hat, and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides, or a NIOSH-approved canister approved for pesticides.

USE IN LATEX CAULKS AND ADHESIVES

Ultra-Fresh* 40 is recommended for use in adhesives and sealants where mildew growth on the applied product may be a problem. Suggested levels (% by weight, active ingredient) are: Ceramic Tile Adhesives 0.02-0.0391, Vinyl Wallpaper Pastes 0.02-0.0391, Mastics 0.05, Latex Caulks 0.05. Add Ultra-Fresh* 40 at a point in the production process where sufficient mixing will assure good suspension of the material as other ingredients are added.

Manufactured for; Microban Canada Inc.
3080 Yonge Street, Suite 6060,
Toronto, Ontario, Canada M4N 3N1

Ultra-Fresh is a trademark of Microban Products Company

REGISTRATION NUMBER 25848 PEST CONTROL PRODUCTS ACT

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use this product in a way inconsistent with the directions on the label. The user assumes the risk to person or property that arise from any such use of this product.

NOTICE TO BUYER: Seller's Guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.