

2016-5616
2017-02-27

AIR GUARD®

KONK® 400 RESIDUAL INSECTICIDE SPRAY WITH BAYGON®

PRESSURIZED/COMMERCIAL

RESIDUAL CRACK, CREVICE AND SURFACE INSECTICIDE

KILLS : Ants, Booklice, Boxelder Bugs, Brown Dog Ticks , Carpet Beetles, Carpenter Ants, Carpenter Bees, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Drug Store Beetles, Earwigs, Elmleaf Beetles, Fleas, Flour Beetles, Grain Weevils, Millipedes, Silverfish, Sowbugs, Spiders, Termites and Ticks.

FOR USE IN: Transportation Equipment – non-passenger areas (e.g. Trucks, Buses, Boats, Ships, Trains) Meat Packing and Food Processing Plants, Storage Areas, and other Food Handling Areas, Utilities and Warehouses.

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

GUARANTEE

Propoxur..... 2.00%

Piperonyl butoxide 8.00%

REGISTRATION NO. 24858

PEST CONTROL PRODUCTS ACT

BAYGON is a registered trademark of Bayer AG

Net Contents

454 - 475 g

Acuity Holdings, Inc.

11627 - 178 STREET

EDMONTON AB T5S 1N6

1-905-669-9876

DANGER

EXTREMELY FLAMMABLE
EXPLOSIVE

DIRECTIONS FOR USE

This product is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 2 cm into cracks, crevices, holes and other small openings where insects may be a problem. Release approx. 1 second spray per spot in serious infestation, if possible, place spots approx. 30 cm apart. In light infestation or preventive treatment place spots approx. 1 meter apart. See the additional directions below for effective control of specified insects.

Do not use in indoor residential areas. Indoor residential areas are defined as any indoor use site whereby standards including children could be exposed during or after application. This includes homes, hospitals, schools, public buildings, day care facilities, motels, hotels, passenger areas of trains, buses or airplanes, and other indoor locations where the general public including children may be exposed.

Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

Do not use as a space spray.

CRAWLING INSECTS: Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Sowbugs, Spiders, and Ticks: Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, behind baseboards, meter boxes and manholes. Spray directly on insects in these locations where possible. Booklice & Silverfish: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Ants: Spray points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Chocolate Moths. Drug Store Beetles (in exposed adult and larval stages). Flour Beetles, Grain Weevils and hibernating stages of: Boxelder Bugs, Clover Mites, Cluster Flies and Elmleaf Beetles. Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around window and door frames, under siding, in machinery and in dark secluded areas.

Localized treatment of wood-destroying insects: CARPENTER ANTS, CARPENTER BEES and TERMITES: Locate source of infestation. Inject 5-10 seconds spray into insect tunnels and cavities. For CARPENTER BEES, seal entrance openings with small pieces of stainless steel wool after spray application. The purpose of this treatment is to kill workers or winged reproductive forms which may be present in the treated channels and spaces at the time of treatment.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, clothing and avoid inhalation of vapors or spray mist. Wash thoroughly after handling and before eating, drinking, etc. Do not apply to plants, animals or humans. Remove animals before spraying. Meat Packing Plants and Food Processing Plants: In meat packing plants and food processing plants treat only when plant is not in operation. No exposed meat or food products, ingredients or packaging materials are to be kept in the room. Cover food handling equipment. All treated surfaces that may contact meat, food products or other food products should be washed and rinsed thoroughly with potable water after treatment and before re-use for food processing. CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Do not use or store near heat or open flame or spark. Exposure to temperature above 50 degrees C may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID INSTRUCTIONS: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.