

2011 F
2011 F

GROUP	3	INSECTICIDE
-------	---	-------------

DOKTOR DOOM

FUMIGATOR TOTAL RELEASE

PRESSURIZED SPACE FUMIGATOR EXTERMINATOR

COMMERCIAL

LOCK VALVE OPEN FOR CONTINUOUS SPRAYING
OR SPRAY 15 TO 20 SECONDS FOR EVERY 300 CUBIC METRES

ONE SPRAYING KILLS EXPOSED STAGES
TICKS, FLEAS, COCKROACHES, ANTS,
SPIDERS, MOSQUITOES, FLIES

GUARANTEE:

Pyrethrins0.4%
Piperonyl Butoxide2.0%

REGISTRATION NO. 25428
PEST CONTROL PRODUCTS ACT

NET CONTENTS 150 GRAMS

DANGER

EXTREMELY FLAMMABLE EXPLOSIVE

READ THE LABEL BEFORE USING

753146 AB Ltd. o/a UltraSol Industries

10755-69 Avenue
Edmonton, Alberta
T6H 2C9

(780) 432-6535

DIRECTIONS FOR INDOOR USE: Remove pets, birds and fish bowls. Open cabinets and doors in the area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one can for each 300 cubic metres of unobstructed area.

TO OPERATE VALVE: Can be used manually or valve can be locked in open position. To lock valve in open position for automatic discharge, depress valve lever down firmly until it clicks and stays depressed. For best results, first spray distant rooms manually, spraying towards ceiling, 4 to 6 seconds is ample for an average (3m x 3m x 3m) room. Also spray into cracks and crevices. Place can on stand or table in centre of 300 cubic metres of unobstructed area, then lock valve open. Leave building at once and keep building closed for 2 hours before airing out. Open all doors and windows and ventilate for 30 minutes. Repeat spraying in 2 weeks if necessary. This formulation will kill exposed insects only and has no residual control activity.

CAUTION: Do not use in dwellings or in food storage handling, or service establishment as a total release bomb with valve locked open.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Exposure to prolonged sunlight or other sources of heat may cause bursting. Do not throw into fire or incinerator or store at temperatures above 50°C. Do not spray on walls, composition tile or plastic. Do not spray over exposed food. Avoid contamination of feed and foodstuffs. Do not spray into or near any open flame.

FIRST AID: **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If in Eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains a petroleum distillate.

RESISTANCE MANAGEMENT RECOMMENDATIONS: For resistance management, please note that Doktor Doom Fumigator Total Release contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to Doktor Doom Fumigator Total Release and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of Doktor Doom Fumigator Total Release or other Group 3 insecticides with different groups that control the same pests in a field.
- Use tank mixtures with insecticides from a different group when such use is permitted.
- Insecticide/acaricide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact UltraSol Industries at (780) 432-6535.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in regular garbage. Do not puncture or incinerate. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.