

2023-3447
2023-12-21

KONK 493 INSECT BLASTER PRESSURIZED SPRAY

INSECTICIDE

For indoor use at buildings to kill/control Cockroaches, Spiders, Crickets, Ants, Carpet beetles, Centipedes, Silverfish, Dog fleas, Cat fleas, Brown dog ticks, American dog ticks.

For limited outdoor use on the exterior surfaces of listed buildings and for outdoor use around listed buildings and around porches to kill/control Stable flies, Horse flies, Face flies, Deer flies, House flies, Horn flies, Mosquitoes, Biting midges, Wasps.

DOMESTIC

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
Piperonyl Butoxide	5.00%

REG. No. 24892 P.C.P. ACT NET CONTENTS: 600 g

DANGER



EXTREMELY FLAMMABLE
EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Acuity Holdings, Inc.
11627 - 178 STREET
EDMONTON AB
T5S 1N6
877 428 9937

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE

Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. For all labelled uses, treatment must only be repeated after 7 days if pest problem persists or reoccurs. When applied indoors, good sanitary practices should be maintained to prevent re-infestation.

FOR INDOOR USE AT BUILDINGS, FOR LIMITED OUTDOOR USE ON THE EXTERIOR SURFACES OF LISTED BUILDINGS AND FOR OUTDOOR USE AROUND LISTED BUILDINGS AND AROUND PORCHES

Use Limitations

DO NOT apply when people or pets are present. **DO NOT** allow people or pets to enter treated areas until sprays have dried. **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed accidentally contaminated with spray solution must be discarded. When applied as a surface spray: **DO NOT** apply to overhead areas or in confined spaces (e.g., indoors in attics, crawlspaces, small storage rooms, closets; and outdoors to eaves, soffits). **DO NOT** allow spray to drip or allow drift onto non-target surfaces. When applied indoors: Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air. When applied outdoors: **DO NOT** apply to any body of water. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

How to Apply

DO NOT APPLY AS AN INDOOR SPACE SPRAY OR INDOOR BROADCAST TREATMENT. Apply as an indoor crack and crevice, perimeter or spot; outdoor broadcast treatment only. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room (indoors) or total surface area treated (outdoors). Broadcast application is to large outdoor structural surfaces (roofs, walls, doors, windows and foundations).

INDOOR USE:

To kill/control Cockroaches, Spiders, Crickets, Ants, Centipedes, Silverfish Dog fleas, Cat fleas, Brown dog ticks, American dog ticks: Thoroughly treat indoor building surfaces, including cracks and crevices in walls, floors and ceilings; along and behind baseboards; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., cabinets and storage units); around sinks, drains and pipes; localized areas around garbage cans; and other building elements where listed insects are found.

For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before

treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items. For ants, also spray trails, nests and points of entry (e.g., around windows and doors). For spiders and centipedes, also spray localized areas of floors and floor coverings. **DO NOT** exceed the rate of 6-10 seconds per m².

To kill/control carpet beetles: Spray edges of carpeting and underneath carpets and rugs. Make localized applications to floors and baseboards. **DO NOT** exceed the rate of 6-10 seconds per m².

OUTDOOR USE:

To kill/control Stable flies, Horse flies, Face flies, Deer flies, House flies, Horn flies, Mosquitoes, Biting midges, Wasps: *For use on the exterior surfaces of listed buildings:*

Apply to structural surfaces of homes, garages, storage buildings, barns, porches, and under eaves where insects are congregating, including around windows & doors and other structural surfaces of listed buildings. **DO NOT** exceed the rate of 6-10 seconds per m². **DO NOT** treat soil, turf or other plants adjacent to the treatment site.

For use around listed buildings and porches: While holding container at arm's length, direct the mist upward in sweeping motion around listed buildings and porches. **DO NOT** exceed the rate of 1-2 seconds per m². **DO NOT** apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs).

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas after application. **DO NOT** apply to linens, pet bedding, toys or clothing. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame or spark, or while smoking.

FIRST AID:

If sprayed in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If sprayed on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If accidentally swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. **This product contains petroleum distillates.** Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

STORAGE :

Store this product away from food or feed.

DISPOSAL :

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.