

2021-1363
2021-12-15

This label has been updated according to the special review decision of Tetrachlorvinphos, SRD2021-01. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "12/03/2023" in accordance with the phase out period set out in SRD2021-01. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2021-1363
2021-12-15

Front Label

**Hartz® UltraGuard® Flea & Tick Spray
for Cats
SOLUTION**

Kills:
Fleas
Ticks

ACTIVE INGREDIENT:
Tetrachlorvinphos 1.08%

Contains 1,3-Bis (hydroxymethyl)-5,5- dimethylhydantoin at 0.129% and
hydroxymethyl-5,5-dimethylhydantoin at 0.03% as preservatives.

DOMESTIC

READ ENTIRE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

FOR USE ONLY ON CATS

REG. NO. 25655 PCP ACT

Net Contents: mL

HARTZ CANADA INC.,
1125 Talbot Street
St. Thomas, Ontario
N5P 3W7
1-800-275-1414

2021-1363
2021-12-15

BACK PANEL

DIRECTIONS FOR USE: Use ONLY in well-ventilated areas, preferably outdoors. Shake well before using. Hold bottle upright about 15 cm (6 inches) from pet. Spray entire coat lightly and evenly, until the tips of hair are moist. Spray 15–25 strokes for a small cat (5 lbs or less). Spray 25–35 strokes for a medium or large cat (greater than 5 lbs). For best penetration, spray against the natural lay of the hair to cause fluffing of the coat. Keep spray out of pet's eyes and face. Rub spray into animal's coat. For longhaired cats, ruffle fur to allow the spray to reach the skin. After 10 minutes, dry cat with towel (wash towel separately from household laundry). Comb and brush coat. Repeat as required but no more than once a week. If you see a tick, spray it directly. Bathing of the animal may affect product efficacy. Do NOT administer by mouth.

Do NOT use on cats under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Treatment must be repeated only if the pest problem reoccurs. Discontinue use if adverse effects are observed.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. Do not apply to pet bedding, flooring, carpets, furniture, or other areas that may be touched by humans. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. May irritate eyes, nose and throat. Avoid contact with mouth, eyes and skin. DO NOT apply to furniture, mattresses, linens, pet bedding, toys or clothing. Avoid breathing fumes and vapours. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pet until dry. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Avoid contact with pet's mouth, face, eyes and genitals. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre at once. Atropine is antidotal. Acute symptoms of over dosages in dogs and cats include diarrhea, salivation, vomiting, muscular tremors and weakness. Contact a veterinarian immediately.

Do NOT use this product on cats at the same time or within 30 days before or after

2021-1363

2021-12-15

treatment with, or exposure to, other cholinesterase inhibiting pesticides, drugs or chemicals.

FIRST AID

HUMANS: IF SWALLOWED, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

STORAGE AND DISPOSAL: Store in a cool, dry place away from food and out of the reach of children. Do not reuse empty container. Wrap and dispose of empty container with household garbage.

For more information call our experts at 1-800-275-1414

Visit www.hartzultraguard.com

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation