

Ultra-Fresh* 95

COMMERCIAL - INDUSTRIAL

DUST



CAUTION

POISON

READ THE LABEL BEFORE USING

REGISTRATION No. 25887

PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Diiodomethyl P-tolyl Sulfone 93.15%

POST A COPY OF THIS LABEL IN THE TREATMENT AREA

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.

Wear chemical-resistant coveralls over a long-sleeved shirt, long pants, chemical-resistant gloves, socks and chemical-resistant footwear and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides, or a NIOSH-approved canister approved for pesticides during mixing, loading, clean-up and repair. Wash thoroughly after handling.

Limit the amount of active ingredient handled to 1.045 kg per person per day. These restrictions are in place to minimize exposure to individual handlers. Application may need to be performed over multiple days or by using multiple handlers.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

2024-4165, 2024-09-26

If inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PHYSICAL AND CHEMICAL HAZARDS:

Airborne dust may pose an explosion and fire hazard.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

Toxic aquatic organisms. Do not contaminate any body of water by cleaning of equipment or disposal of waste. DO NOT discharge effluent containing this product into sewer system, lakes, streams, ponds, estuaries, oceans or other waters.

DISPOSAL:

- 1) Triple rinse or pressure rinse the empty container. Add the rinsings to the treatment site.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial/territorial requirements.
- 5) For information on disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill and for clean-up of spills.

STORAGE:

Store in a cool dry place in original container. Avoid exposure to direct sunlight. Do not contaminate with ketones and strong bases. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DIRECTIONS FOR USE:

Not for use in products designed for food packaging materials or in areas where food is stored, handled or processed.

USE IN PIGMENT DISPERSIONS

Ultra-Fresh* 95 is an effective mildewcide and algicide for pigment dispersions. Use levels are dependent upon paint formulation to be protected and upon the expected severity of field conditions. In pigment dispersions, use Ultra-Fresh* 95 at concentrations ranging from 0.02-0.0391% (w/w active ingredient). A suggested procedure is to add the water, Ultra-Fresh* 95, glycols, wetting agents and then

2024-4165, 2024-09-26

pigments in the dispersion process. The maximum application rate of 0.3% active ingredient (or 36kg of product per 10000 Litres of paint) is not to be exceeded. It is suggested that the formulator perform field trials within the label rates to determine the best rate for preservation of their paint. It is recommended to prevent paint chips or dust caused by removing paint from entering water. DO NOT place painted parts in water after painting until the paint is fully cured.

Professional painters USING AN AIRLESS SPRAYER must wear coveralls over a long-sleeved shirt and long pants, chemical-resistant gloves, a painter's hat, and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides, or a NIOSH-approved canister approved for pesticides.

USE IN LATEX CAULKS AND ADHESIVES

Ultra-Fresh* 95 is recommended for use in adhesives and sealants where mildew growth on the applied product may be a problem. Suggested levels (% by weight, active ingredient) are; Ceramic Tile Adhesives 0.02-0.04, Vinyl Wallpaper Pastes 0.02-0.04, Mastics 0.05, Latex Caulks 0.05. Add Ultra-Fresh* 95 at a point in the production process where sufficient mixing will assure good suspension of the material as other ingredients are added.

REGISTRATION NUMBER 25887 PEST CONTROL PRODUCTS ACT

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use this product in a way inconsistent with the directions on the label.

Manufactured for; Microban Canada Inc.
3080 Yonge Street, Suite 6060,
Toronto, Ontario, Canada M4N 3N1

Net Contents: X kg