

2023-4342

2023-09-15

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

Chromic Acid (Chromium Trioxide)

READ THE LABEL BEFORE USING

MANUFACTURING

Solid

Wood Preservative

REGISTRATION NO. 24106

PEST CONTROL PRODUCTS ACT

GUARANTEE: Chromium (present as chromium trioxide)...51.92%

DANGER

POISON [danger poison symbol] [corrosive symbol] CORROSIVE

CORROSIVE TO EYES AND SKIN

POTENTIAL SKIN SENSITIZER

Chemtrec Emergency Phone: 1-800-424-9300

**American Chrome &
Chemicals Inc. 5408 Holly
Shelter Road Castle
Hayne, NC 28429 USA**

**HMIS RATING SYSTEM
HEALTH 3*
FLAMMABILITY 0
REACTIVITY 1**

Net Contents 36, 45, 68 metric tons or 181.8 kg

(40, 50, 75 U.S. tons or 400 pounds)

DIRECTIONS FOR USE

FOR INDUSTRIAL USE ONLY: This technical grade product is intended for manufacturing use only in the formulation of end-use products which are registered under the PEST CONTROL PRODUCTS ACT.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRECAUTIONS

- PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.
- STRONG OXIDIZER
- Fatal if swallowed or absorbed through skin. Corrosive to eyes and skin. Causes irreversible eye damage and skin burns. DO NOT get in eyes, on skin, or on clothing. May be fatal if inhaled. DO NOT breathe dust or mist. Potential skin sensitizer.
- KEEP CONTAINER CLOSED AND AWAY FROM COMBUSTIBLE MATERIALS.
- AVOID CONTACT WITH ORGANIC MATERIALS, OILS, GREASES, OR ANY EASILY OXIDIZABLE MATERIALS.
- UNDER FIRE CONDITIONS, DECOMPOSING MATERIALS MAY FORM A HOT VISCOUS FOAM.
- KEEP OUT OF REACH OF CHILDREN.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and pest control product number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Massive overexposure to solutions of this product could lead to kidney failure and death. Death has been avoided in several cases through the use of early renal dialysis. It has been reported that there is little value from chelating agents; however, ascorbic acid administered intravenously is an effective antidote in preventing renal failure. Skin ulcers may be treated by removal from exposure, daily cleansing and debridement, and application of an antibiotic cream and dressing.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.