

**Advantage™ 18 Flea Adulticide**  
**Insert (English)**

<Elanco Logo>

Advantage™ 18

Flea Adulticide

For cats 8 weeks and older weighing over 4 kg

Once-A-Month Topical Flea Treatment

LIQUID

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON CATS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN

WARNING



POISON

EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1%

REG. NO. 25129 P.C. P. ACT

One to Six 0.8 mL Tubes

42 Advantage 18 Flea Adulticide will control fleas on cats within one day of treatment and  
43 will continue to protect the cat from further flea infestation for up to four weeks.  
44 Reinfestation from the emergence of new fleas in the environment may continue to  
45 occur for six weeks or longer after treatment is initiated. Reapply every 4 weeks for  
46 continual pest control in situations where there is an on going risk of pest infestation.  
47 Treatment must only be repeated if pest problem reoccurs.

48  
49 Shampooing of the cat may shorten the duration of flea protection, therefore, re-  
50 application following shampooing is recommended.  
51 For effective flea control, treatment of the pet should be combined with the sanitation of  
52 any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag  
53 after use) and wash the pet's bedding, living quarters and surrounding areas. If pest  
54 problems persist an insecticidal premise treatment may be required.

55  
56 For use on pregnant/lactating animals consult your veterinarian.  
57 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin  
58 disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage® 18  
59 Flea Adulticide rapidly kills fleas and may reduce the incidence of this condition.  
60 Advantage 18 Flea Adulticide is safe to use concurrently with commonly used veterinary  
61 products. Consult your veterinarian before using on animals receiving drug treatment.

62  
63 **PRECAUTIONS:**

64  
65 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
66 absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact  
67 with skin and clothing. Wear rubber gloves when applying product. After handling or  
68 applying, wash hands (or any other skin that came into contact with the product) with  
69 soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or  
70 food by storage or disposal.

71  
72 **PETS:** Do not use on animals under 8 weeks of age. Care should be taken to prevent  
73 exposure of other pets who may be in close physical contact with the treated animal.  
74 Individual sensitivities, while rare, may occur after using ANY pesticide product for pets.  
75 Smaller animals are more likely to experience an adverse reaction. Observe carefully. If  
76 signs persist, or become more severe, consult a veterinarian immediately.

77  
78  
79  
80

Side Effects: Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
--

81 FIRST AID:

82

83 HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20  
84 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
85 rinsing eye.

86 Call a poison control centre or doctor for treatment advice.

87 IF SWALLOWED, call a poison control centre or doctor immediately for treatment  
88 advice. Have person sip a glass of water if able to swallow. Do not induce vomiting  
89 unless told to do so by a poison control centre or doctor. Do not give anything by mouth  
90 to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing.  
91 Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control  
92 centre or doctor for treatment advice.

93

94 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
95 amounts of water. If signs continue, consult a veterinarian immediately.

96 Take container, label or product name and Pest Control Product Registration Number  
97 with you, when seeking medical or veterinary attention.

98

99 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

100

101 STORAGE: Store container at room temperature.

102

103 DISPOSAL: Do not reuse empty container. Wrap empty tube and cap in newspaper and  
104 dispose with household garbage.

105

106 DIRECTIONS:

107 This product contains imidacloprid. Do not apply another pest control product such as a  
108 shampoo, collar, or powder that contains imidacloprid to the treated animal after  
109 applying Advantage 18 Flea Adulticide.

110 • Do NOT administer by mouth. Do NOT use on other animals. Consult a veterinarian  
111 before using on sick, aged, pregnant or nursing animals or animals receiving drug or  
112 other pesticide treatment. A veterinarian should be consulted when pest infestation  
113 continues to be a problem on the pet.

114 • Treatment must only be repeated if the pest problem reoccurs.

115 • Do not use on cats under 8 weeks of age.

116 • Use only on cats weighing over 4 kg.

117 • This product is packaged in single dosage tubes. This package contains 1 to 6  
118 monthly 0.8 ml dosages. Treat your cat monthly in the manner described below. Do  
119 not apply a dosage higher than one 0.8 ml tube at a time.

120 • Remove one applicator from the package.

121 • Hold applicator tube in upright position. Pull cap off tube.

122 • Turn cap around and place other end of cap back on tube.

123 • Twist cap to break seal, then remove cap from tube.

- 124 • Part the hair on the neck at the base of the skull until the skin is visible. Place the  
125 tip of the tube on the skin and squeeze the tube to completely empty the contents  
126 directly on the skin. Do not get this product in your pet's eyes or mouth. The  
127 product is bitter tasting and salivation may occur for a short time if the cat licks the  
128 product immediately after treatment. Treatment at the base of the skull will  
129 minimize the opportunity for the cat to lick the product.
- 130 • Until Advantage 18 Flea Adulticide dries, keep pet off furniture and away from  
131 hardwood floors. Discard the empty tube as described in "DISPOSAL".

132

133 RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

134

135 Elanco Canada Limited  
136 1919 Minnesota Court, Suite 401  
137 Mississauga, Ontario L5N 0C9

138

139 Advantage, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.  
140 ©2022 Elanco or its affiliates.

141

142

**Advantage™ 10 Flea Adulticide**  
**Carton (English)**

<Elanco Logo>

Advantage™ 18

Flea Adulticide

For cats 8 weeks and older weighing over 4 kg

Once-A-Month Topical Flea Treatment

LIQUID

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON CATS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN

WARNING



POISON

EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1%

REGISTRATION. NO. 25129 P.C.P. ACT

One to Six 0.8 mL Tubes

Elanco Canada Limited

1919 Minnesota Court, Suite 401

Mississauga, Ontario L5N 0C9

1-800-265-5475

185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211

Advantage 18 Flea Adulticide will control fleas on cats within one day of treatment and will continue to protect the cat from further flea infestation for up to four weeks. Reinfestation from the emergence of new fleas in the environment may continue to occur for six weeks or longer after treatment is initiated. Reapply every 4 weeks for continual pest control in situations where there is an on going risk of pest infestation. Treatment must only be repeated if pest problem reoccurs. Shampooing of the cat may shorten the duration of flea protection, therefore, re-application following shampooing is recommended. For use on pregnant/lactating animals consult your veterinarian.

**PRECAUTIONS:**

**HUMANS:** KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin and clothing. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or food by storage or disposal.

**PETS:** Do not use on animals under 8 weeks of age. Care should be taken to prevent exposure of other pets who may be in close physical contact with the treated animal. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. If signs persist, or become more severe, consult a veterinarian immediately.

Side Effects: Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
--

212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222

**FIRST AID:**

**HUMANS:** IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing.

223 Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control  
224 centre or doctor for treatment advice.

225

226 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
227 amounts of water. If signs continue, consult a veterinarian immediately.

228 Take container, label or product name and Pest Control Product Registration Number  
229 with you when seeking medical or veterinary attention.

230

231 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

232

233 STORAGE: Store container at room temperature.

234

235 DISPOSAL: Do not reuse empty container. Wrap empty tube and cap in newspaper and  
236 dispose with household garbage.

237

238  
239  
240  
241  
242  
243  
244  
245  
  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264

**Advantage™ 18 Flea Adulticide**  
**Tube (English)**

<Elanco Logo>

Advantage™ 18

READ THE LABEL AND INSERT BEFORE USING

WARNING



POISON

EYE IRRITANT

DOMESTIC

EXTERNAL USE ONLY

ACTIVE INGREDIENT: IMIDACLOPRID 9.1%

REG. NO. 25129 P.C.P. ACT

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9

0.8 mL