

2013-04-25

2013-0181

Naphthalene

Moth Flakes

Kills moths, moth larvae

Insecticide

400 g



DOMESTIC

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE: Naphthalene 99.9%

REG. NO. 23822 P.C.P. ACT

FOR INDOOR USE ONLY

Recochem Inc. 850 Montée de Liesse, Montréal, Québec H4T 1P4 Telephone No. 514-341-3550

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Can be fatal to children, if ingested. Do not use on the clothing of infants or in the bedroom of young children. The physical form of moth balls is an attractive hazard to children.

May be fatal if inhaled. **DO NOT** inhale vapours. Causes eye and skin irritation. **DO NOT** get in eyes or on skin. Air garments thoroughly outdoors and, if possible, wash before use.

DIRECTIONS FOR USE:

For use in airtight containers only. **DO NOT** use as an animal repellent. Only effective for use on natural fibres (e.g. wool, cotton).

Thoroughly brush articles to be stored. Place woolen garments, furs, etc. in airtight container. Use 400 g of Naphthalene Moth Flakes for each 0.81 cubic metre of space. Seal all joints and holes of the containers with adhesive tape to prevent the loss of vapour and entry of insects. Wash hands with soap and water after use. To remove odour from treated articles, hang outdoors (preferably in sunlight).

Open package in a well ventilated area and reseal carefully.

Store package in a dry place, inaccessible to children and pets.

The volume of the storage container to be treated can be calculated by multiplying the height, width, and depth of the space.

[eg: *height* 15 cm x *width* 92 cm x *depth* 51.5 cm = 71070 cm³ ÷ (1000 cm³/L) = 71 litres].

Apply product at the following rates:

Amount of flakes:	Enclosed space: (approximate volumes)
30g	Large drawer (71 litres)
150g	Large trunk (315 litres)

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Exposure to naphthalene vapours can cause headaches, nausea, dizziness and vomiting. Haemolytic anemia may occur following ingestion or sufficient inhalation exposure to naphthalene. People with a genetically inherited deficiency in the enzyme glucose-6-phosphate dehydrogenase (G₆PD) and infants are at a greater risk of developing haemolytic anemia following exposure.

DISPOSAL: Do not reuse packaging. Wrap and dispose of packaging in household garbage.