# COP-R-PLASTIC WOOD PRESERVING COMPOUND

## PASTE INDUSTRIAL DANGER



POISON

### WARNING EYE AND SKIN IRRITANT POTENTIAL SKIN SENSITIZER READ THE LABEL BEFORE USING

REGISTRATION NUMBER 25708 PEST CONTROL PRODUCTS ACT KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

This product is only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the pesticide application is to occur.

## NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NET CONTENTS 18.93 L (5 gallons)

North Star Structural Contractors, Ltd. 215 Greencastle Road Tyrone, GA 30290 (770) 632-6700

#### PRECAUTIONS KEEP OUT OF REACH OF CHILDREN FOR EXTERIOR USE ONLY NOT FOR USE IN DWELLINGS.

Fatal if swallowed. Causes skin and eye irritation. Potential skin sensitizer. Do not get in eyes, on skin or on clothing. May be fatal if inhaled. Do not breath vapours. Workers must wear a long-sleeved shirt, long pants, elongated chemical resistant gloves, chemical resistant footwear and protective eyewear. In addition, a respirator is required for workers applying copper naphthenate products by brush. Use a cartridge respirator appropriate for the job conditions, e.g. poorly ventilated areas. Wash hands and face thoroughly with soap and water after handling and before eating, drinking, smoking or using the toilet. Avoid contamination of feed and food stuffs. This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply to wood in direct contact with water or situated in areas that may be flooded at certain times of the year. Do not contaminate water by cleaning equipment or disposal of waste.

#### STORAGE

Store between -18°C and 60°C. Store only in original container. Keep closed when not in use. Do not store with fertilizer, food or feed.

#### **FIRST AID**

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION

This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

#### **DIRECTIONS FOR USE**

This product is to be used only for the remedial treatment of exterior industrial wood products having no opportunity for prolonged or direct skin contact with people or animals or contact with food, feed or drinking water. This product is not to be used in children's playground equipment.

DO NOT apply using an airless sprayer. DO NOT apply this product to wood that will be used in water.

EXTERNAL TREATMENT: Apply 1.5 mm (1/16") to pole or timber exterior. Typical pole application is from 7.5 cm (3") above to 45.5 cm (18") below groundline and lower where deeper decay is suspected. Application on poles to be restored should extend the length of wrap-around type repair systems. Wrap the treated area with water-proof bandage, OSMOSHIELD.

Equipment for the brush-on applications is limited to only brushes that have handles that are at least one (1) metre in length.

Bandages can also be made by applying 1.5 mm (1/16") of this product directly to OSMOSHIELD via brush or trowel. A typical bandage would allow for application to 53 cm of pole surface from 7.5 cm (3") above to 45.5 cm (18") below groundline. More than one bandage may be used in cases where the treatment zone exceeds 53 cm such as grade changes and deep decay.

INTERNAL TREATMENT: For control of internal decay in poles and other timbers, holes may be drilled in areas of the pole or timber where protection is required. Fill decay pockets and voids using a grease gun or other pressurized applicator. Plug application holes with secure-fitting dowels.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters.

DO NOT use this product to treat children's playground equipment, picnic tables or other products with food/feed contact surface areas. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Do not use this preservative where it may contaminate food, feed or drinking water. Do not use where it will be in direct contact with water. May be used on green-house and garden timbers in contact with non-food producing plants only.

#### DISPOSAL

**DISPOSAL:** (1) Thoroughly empty the contents of the container. (2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal; (3) Make the empty container unsuitable for further use; (4) Dispose of the container in accordance with provincial requirements; (5) For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for cleanup of spills.

## **ENVIRONMENTAL HAZARDS**

Toxic to aquatic organisms.