

Hartz[®] Reference 100
for Dogs

DO NOT USE ON CATS

Toxic to cats

DOMESTIC

Permethrin 45%

REG. NO. 25799 P.C.P. ACT

READ THE LABEL BEFORE USING

2 mL (1 mL)

Hartz Canada, Inc.

STEP B

Hartz® Reference 100

for Dogs and Puppies Over 14 kg (30 lbs.)
[for Dogs and Puppies 14 kg (30 lbs.) and Under]

DOMESTIC

IMPORTANT
*Intended for
use on DOGS ONLY*

DO NOT USE ON CATS Toxic to cats

first month (first dose)
second month (second dose)
third month (third dose)

GUARANTEE:

Permethrin 45%

REG. NO. 25799 P.C.P. ACT

**KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING**

This product contains tripropylene glycol methyl ether at 51%, which requires further toxicological testing.

Net Contents: 3 Months Supply (3 Applications)

For Large Dogs (14 kg. and Over): 3 tubes x 2 mL each
[For Small Dogs (Up to 14 kg): 3 tubes x 1 mL each]

Made in U.S.A. for;
Hartz Canada, Inc.
1125 Talbot Street
St. Thomas, Ontario
N5P 3W7

Hartz® Reference 100

GENERAL INFORMATION:

Kills the Blacklegged tick (Deer Tick), which may carry the organism that carries Lyme Disease.

Kills fleas before they lay eggs.

Controls [Kills] fleas and ticks for 21 Days [3 Weeks].

Kills the American Dog Tick and Brown Dog Tick.

[Lasts] [Works] Protects for 21 Days [3 Weeks].

Convenient, Easy to use applicator.

[Easy] Simple to use [Handle] [Apply].

Spreads Naturally with Dog's Movement.

90% Control of Fleas and Ticks in 48 Hours [2 Days].

Prevents re-infestation for 21 Days [3 Weeks].

No Mess.

Disposable Applicator.

Apply to One Spot for head to tail [total body] Flea and Tick Protection [Control].

Apply to One Spot - spreads over the dog's complete body [from head to tail] through the natural motion of the animal.

Hartz Control Pet Care System products are designed to complement each other in an integrated program for flea & tick management. To assure proper treatment we recommend the use of Hartz® products for flea and tick management.

Hartz Reference 100 is most effective when used as part of a total program aimed at reducing fleas and ticks in the dog's environment. Be sure to treat the animal's bedding and surroundings with products registered for these uses, such as the Hartz Control Pet Care System line.

DIRECTIONS FOR USE:

DO NOT USE ON CATS OR OTHER ANIMALS. This product is packaged in single dosage tubes. This package contains three monthly 2 mL [1 mL] dosages.

Do not use this product more often than once every 3 weeks. Treat your dog or puppy monthly for continual pest control in situations where there is an ongoing risk of pest infestation. Do NOT administer by mouth. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do not use on animals under 12 weeks of age. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. **RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.**

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, furniture, etc. (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persists, an insecticidal premise treatment (e.g. Hartz Control Pet Care System Home Flea & Tick Killer) may be required. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

{Note to PMRA - Different types of tubes are available which differ only in the method employed to open the individual tubes. Hence, "alternate" directions (Instruction 2) are available.}

FOR LARGE DOGS (14 Kg and Over):

1. Remove one applicator tube from package and hold in an upright position.
2. Simply press cap down to break the seal of tube.
[2. Pull cap off. Turn the cap around and place on top of tube. Press cap down to break the seal of tube.]
[2. Hold the tube in one hand and, with the other hand, snap off cap.]
[2. Hold the tube in one hand and, with the other hand, remove cap and snap off tip carefully.]
3. Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out half the contents of the tube.
4. Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube on the dog's back at the base of the tail and apply the remaining contents of the tube.

FOR SMALL DOGS (Less than 14 kg)

1. Remove one applicator tube from package and hold in an upright position.
2. Simply press cap down to break the seal of tube.
[2. Pull cap off. Turn the cap around and place on top of tube. Press cap down to break the seal of tube.]
[2. Hold the tube in one hand and, with the other hand, snap off cap.]
[2. Hold the tube in one hand and, with the other hand, remove cap and snap off tip carefully.]
3. Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out the contents of the tube.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with mouth, eyes and clothing. Use rubber gloves when applying product. Avoid contact with pet until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: DO NOT USE ON CATS. Toxic to cats. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. Harmful if swallowed. Avoid contact with the dog's mouth, face, eyes and genitals. Do not use near fish.

FIRST AID:

HUMANS: IF SWALLOWED, DO NOT INDUCE VOMITING. Obtain medical attention or call a poison control centre immediately. IF ON SKIN, wash affected areas with soap and water. IF IN EYES, flush eyes with plenty of water. If skin or eye irritation persists, obtain medical attention.

PETS: If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label, or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. No specific antidote.

STORAGE AND DISPOSAL: Store in a cool, dry place away from food and out of the reach of children. Do not reuse empty container. Wrap empty container and discard with household garbage.

For more information, call our flea & tick experts at 1-800-275-1414 (9 am-5 pm E.S.T.).

Important Information:
The ABC's of
Flea & Tick Management

Step B
Protect
Your Pet

Hartz® Control Pet Care Products are designed to work together in a complete insecticidal system. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Use Hartz® Control Pet Care System® products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

A - Treat Your Pet with Conditioning Shampoo or Control Spray to kill fleas and ticks living on your pet.

B - Protect Your Pet with a Control Pet Care Flea & Tick Killer for Dogs, Ultimate Flea Collar or Hartz Reference 100 to keep fleas and ticks from reinfesting your pet. The Hartz® Control Pet Care System®'s Flea & Tick Killer for Dogs and Ultimate Flea Collars for Dogs contain an insecticide to kill adult fleas and ticks, as well as an insect growth regulator (vIGRen®) to kill flea eggs before they hatch.

C - Treat Your Home with Hartz® Control Pet Care System® Home Flea & Tick Killer containing vIGRen to protect your entire home and guard against reinfestation. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home. Hartz® Control Pet Care System® Home Flea & Tick Killer effectively controls these pre-adult stages for 6 months.

Hartz® and Control Pet Care System® are Registered Trademarks of the Hartz Mountain Corp.
vIGRen® is a Registered Trademarks of Wellmark International.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.