07-MAR-2011 2010-5132

#### Principal Display Panel

(Outer Label for Chipboard Container)

S.C. JOHNSON OFF!<sup>®</sup> YARD & DECK MOSQUITO COILS LOW SMOKE

#### **KILLS MOSQUITOES FOR UP TO 5 HOURS**

### DOMESTIC READ THE LABEL BEFORE USING

### CAUTION: KEEP OUT OF REACH OF CHILDREN

REG. NO. 24124 P.C.P. ACT GUARANTEE: d-cis, trans Allethrin 0.30% Contains sodium benzoate at <0.4% as a preservative

NET CONTENTS: 96 GRAMS, 8 COILS, 2 STANDS PER PACKAGE

®Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. IMPORTED BY Auth'd User S.C. JOHNSON AND SON, LIMITED, BRANTFORD, ON, CANADA N3T 5R1, 1-800-558-5566

#### Secondary Display Panel

(Outer Label for Chipboard Container)

OFF!® YARD & DECK MOSQUITO COILS

DIRECTIONS FOR USE: Use in confined areas such as porches, covered patios and other areas where there is little movement of air. See instructions inside for separating coils. Insert the slot of the coil onto the metal stand provided. Light outer end of coil until sustained glow is obtained, then blow out flame. Place coils as required at 2.5-3 m intervals (1 coil per 30m<sup>3</sup> of confined space). Each coil burns for up to 5 hours.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Caution children not to touch lit end. Do not place in direct contact with flammable surfaces. Avoid inhalation of smoke. Do not use in restaurants. Cover exposed food or feed to avoid contamination.

DISPOSAL: Wrap and dispose of empty container and stands in household garbage.

FIRST AID: If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGIAL INFORMATION: Treat symptomatically.

Questions? Comments? Call 800-558-5566 Weekdays or Write Helen Johnson. <u>www.BugSmart.ca</u> FOR SALE IN CANADA ONLY

# OFF! YARD & DECK MOSQUITO COILS DOMESTIC READ THE LABEL BEFORE USING

# DIRECTIONS FOR USE:

- 1. Use in confined areas such as porches, covered patios and other areas where there is little air movement.
- Place coils as required at 2.5-3 metre intervals (1 coil per 30 m<sup>3</sup> of confined space). Each coil burns for up to 5 hours. Each package contains 2 coils. Separate prior to use.
- 3. Bend the centre of the metal stand to upright position.
- 4. Insert the slot of the coils into the top of the stand.
- 5. Light outer end of coil with match.
- 6. Place coils as required at 2.5 3 m internals (1 coil per  $30m^3$  of confined space).
- 7. A broken piece may be used by inserting it into the open gap of the metal stand.

### PRECAUTIONS:

- 1. KEEP OUT OF REACH OF CHILDREN.
- 2. Do not place in direct contact with flammable surface.
- 3. Avoid prolonged inhalation.
- 4. Cover exposed food to avoid contamination.
- 5. Do not touch lit end.

REG. NO. 24124 P.C.P. Act GUARANTEE: d-cis, trans Allethrin 0.30%

DISPOSAL: Wrap and dispose of empty container and stands in household garbage.

FIRST AID: If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

®Can. Trade Mark Reg'd to S.C. Johnson & Son, Inc. IMPORTED BY Auth'd User S.C. JOHNSON AND SON, LIMITED, BRANTFORD, ON, CANADA N3T 5R1, 1-800-558-5566 www.BugSmart.ca

#### \*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.