

2008-1312
11-DEC-2008

DECCO 276 EC
POTATO SPROUT INHIBITOR
Emulsifiable Concentrate

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Isopropyl- m-chloro-carbonilate (chlorpropham) 25%

POTENTIAL SKIN SENSITIZER

REGISTRATION NO: 24008
PEST CONTROL PRODUCTS ACT

DECCO Cerexagri Inc.
1713 S. California Ave.
Monrovia CA 91016-0120
(626) 358-1838

United Phosphorus Inc.
3065 Redstart Drive
Mississauga, ON L5L 2N1
CANADA
905-828-6346

NET CONTENTS: 18.9 LITERS

DIRECTIONS FOR USE:

Decco 276 EC Potato Sprout Inhibitor is applied at a 1% active ingredient level on washed and damp dried potatoes. The diluted material should be applied using spray nozzles placed evenly across the rolls on which the potatoes are being moved. The diluted solution can also be applied by a foaming system in conjunction with a suitable foaming agent.

DILUTION OF THE CONCENTRATION: Add 1 litre of Decco 276 EC Potato Sprout Inhibitor to 24 litres of water and mix well. A milky white emulsion will develop. Use this diluted emulsion at a rate of 1 litre per tonne of potatoes (1 litres of Decco 276 EC Potato Sprout Inhibitor per 25 tonnes of potatoes). Do not reuse diluted material that was prepared 24 or more hours earlier without mixing well.

NOTICE: Decco 276 EC Potato Sprout Inhibitor is used for treatment of potatoes after harvest. Potatoes must be cured prior to treatment. For maximum sprout inhibition, the potatoes should be washed clean before application of CIPC. Once opened, use the entire contents of the container within 60 days. Do not use on seed potatoes.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid inhalation of spray. Wash hands after use. Do not remain in treated area. Do not contaminate food or feed. Do not contaminate feed or water trough. Harmful if swallowed. Do not take internally. Protect eyes and mouth when working in a confined space. Do not use in areas where bee-keeping equipments or supplies are stored. Product is toxic to fish. Do not contaminate any body of water.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

FIRST AID:

IF ON SKIN OR CLOTHING, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Low general toxicity. Acute dermal LD 50 is greater than 20 g/Kg (rabbits). Acute oral LD50 is 15 g/Kg (rats). Treat symptomatically. Overexposure to chloropham may result in methemoglobinemia.

PROTECTIVE CLOTHING AND EQUIPMENT:

Personal Protective Equipment:

For mixing and loading, wear cotton coveralls and chemical-resistant gloves. For application using the screened sprayer system and for bagging / packing potatoes, wear cotton coveralls and chemical-resistant gloves.

Engineering Control:

Installation of a shield around the conveyor belt is required to prevent spray mist from drifting.

DISPOSAL:

1. Triple – or pressure - rinse the empty container. Add the rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, or for clean up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Updated: Sept 08

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.