

2013-0568
2013-10-28

AccuTreat 832

Liquid Microbiocide

INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Poly(oxyethylene(dimethyliminio)ethylene(dimethyliminio-ethylene dichloride.....30%(by weight)

Registration No. 24009
Pest Control Products Act
Net Contents: 205 Litres

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms. This product is toxic to fish and other aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

AccuChem
7710-16 street NW
Edmonton, AB T6P 1L9
Broad spectrum liquid microbiocide for the control of Algae, Bacteria and Fungi.
Non foaming
Effective at both acid and alkaline pH

DIRECTIONS FOR USE

1) Cooling tower systems: Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 140 to 350 ml per 10,000 litres of water should be added to the sump of the water cooling towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 40 to 350 ml per 10,000 litres of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

2) Industrial air washing systems: Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 50 to 80 ml per 1000 litres of water should be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 35 to 80 ml per 1000 litres of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

For use only in systems equipped with effective mist eliminating components.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

2013-0568
2013-10-28

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Do not mix with any other chemical. Harmful if swallowed. Avoid contact with skin and eyes. Wear a long-sleeved shirt and long gloves during handling, clean-up and repair activities. In addition, a chemical-resistant apron is required for workers handling end-use products in industrial settings. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

FIRST AID

Eye exposure: Flush with clean, cool water for at least 15 minutes or longer until irritation subsides. See a physician if irritation occurs.

Skin exposure: Wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse.

Inhalation: Use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention.

Ingestion: Do not induce vomiting. Rinse mouth with copious amounts of water or milk first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of milk or water.

Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing, do not give fluids by mouth. In all cases seek immediate medical assistance or contact poison control centre. Take container, label, or the product name and Pest Control Products Act Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage. **Treat symptomatically.**

DISPOSAL

1. Triple or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of empty container in accordance with provincial regulations.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, or for cleanup of spills.