

## **PIROR™ 814 SLIMICIDE**

### **SOLUTION**

A MICROBIOCIDAL CONTROLLING SLIME-FORMING BACTERIA, SULFATE-REDUCING BACTERIA, FUNGI AND YEAST IN PAPERMILLS AND PAPER MILL PROCESS WATER SYSTEMS FOR MILLS IN EASTERN CANADA.

#### **GUARANTEE:**

Glutaraldehyde ..... 14.0%  
Alkyl (C12 40%, C14 50%, C16 10%)  
dimethyl benzyl ammonium chloride.....2.5%

**REGISTRATION NO. 25601**  
PEST CONTROL PRODUCTS ACT

#### **COMMERCIAL**

#### **DANGER**

**CORROSIVE** {Corrosive Logo}

#### **READ THE LABEL BEFORE USING**

{Dow Diamond}  
Dow Chemical Canada ULC  
4445 Marie-Victorin Blvd  
Varenes QC J3X 1T3  
519-339-3711  
® TM Trademark of The Dow Chemical Company (“Dow”) or an affiliated company of Dow

**IN CASE OF AN EMERGENCY** endangering life or property involving this product, call collect, 519-339-3711

Net contents:

Made in USA

## **PRECAUTIONS**

### **HAZARDS TO HUMANS**

#### **DANGER**

#### **KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. Harmful or fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes asthmatic signs and symptoms in hyper-reactive individuals. Do not get in eyes, on skin, on clothing. Do not inhale fumes or vapor. Do not swallow.

When handling the concentrate and during cleaning, maintenance and repair activities on contaminated equipment, wear goggles and face shield, chemical resistant gloves, protective clothing (i.e., long sleeve shirt, long pants and apron), boots and NIOSH approved organic-vapour-removing cartridge with prefilter respirator. Wash thoroughly with soap and water after handling. Use only in well ventilated area. Remove contaminated clothing and shoes and wash them before reuse.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. DO NOT discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. The requirements of applicable laws should be determined before using the product.

### **FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 30 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor immediately for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION**

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

### **STORAGE AND HANDLING**

To prevent contamination store this product away from food or feed.

PIROR 814 Slimicide solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about - 3°C. Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 38°C can be tolerated but the preferred maximum storage temperature is about 27°C.

A stainless steel centrifugal pump is suggested for transfer service. Spiral wound stainless steel with TEFLON® is suitable for gaskets and packing.

### **DISPOSAL:**

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

### **DIRECTIONS FOR USE**

DO NOT open pour more than 20 L of concentrate per day. Use an automatic addition system if using more than 20 L of concentrate per day.

DO NOT contaminate irrigation or drinking water suppliers or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

If the product is applied manually, a dust mist respirator must be worn during application.

**PAPER MILLS AND PAPER MILL PROCESS WATER SYSTEMS**

DO NOT use to treat paper or paperboard that will contact food

PIROR 814 Slimicide should be added to a paper-making system at a point of uniform mixing such as the head box, beaters, broke chest, save-all tank, or white-water tank.

**Initial Treatment:** When the system is noticeably contaminated, add 0.76 to 4.5 kg of PIROR 814 Slimicide per metric tonne of pulp or paper (dry basis) as a slug dose. Repeat until control is achieved. Heavily fouled systems should be boiled out prior to initial treatment. If product is applied manually, a dust mist respirator must be worn during application.

**Subsequent Dose:** When microbial control is evident, add 0.46 to 3.0 kg of PIROR 814 Slimicide per metric tonne of pulp or paper (dry basis) as a slug dose as necessary to maintain control.

\*\*\*\*\*

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.