
**CLODINAPOP-PROPARGYL
TECHNICAL ACTIVE INGREDIENT**

FOR USE IN MANUFACTURING OR FORMULATING ONLY

GUARANTEE:

clodinafop-propargyl 98% (Nominal)

READ THE LABEL BEFORE USING

CAUTION



POISON

REGISTRATION NO.: **24066**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **bulk**

Syngenta Canada Inc.
140 Research Lane
Research Park
Guelph, ON
N1G 4Z3

(519) 836-5665

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL.

Strictly observe all precautions for handling and using pesticides. Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Do not eat, drink or smoke while working. Do not contaminate food, feed or water supplies.

-Protective Equipment:

Heavy duty cotton or synthetic fabric working clothes (e.g. coveralls). Rubber apron. Heavy-duty shoes or boots. Chemical resistant gloves. Goggles or face-shield. In case of heavy exposure wear: Dust mask.

-During Work:

After contamination IMMEDIATELY wash skin with soap and water. Clean soiled clothing. After eye contact, flush eyes with clean water for several minutes and call a physician or contact a poison control centre IMMEDIATELY. Change contaminated clothing.

-After Work:

Wash thoroughly (shower or bath, wash hair). Change clothing. Thoroughly clean protective gear. Thoroughly clean contaminated equipment with soap or soda solution.

STORAGE

Store in original container in a well-ventilated, cool, dry and secure area. Ship and store away from food, feed or seed.

DECONTAMINATION AND DISPOSAL

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean up of spills, contact the provincial regulatory agency and the manufacturer.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

To be used only in the manufacture of products registered under the PEST CONTROL PRODUCTS ACT. Read Technical Bulletin for formulation details.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.