

GEF3-05-16
GEF2-0217A

K-G Insecticide I

PRESSURIZED SPRAY
COMMERCIAL

KILLS: Flies, Mosquitoes, Sm all Flying Moths, Wasps, Biting Midges, Cockroaches, Ants, Fleas, Crickets, Spiders, Silverfish, Earwigs, Bedbugs & Lice.

FOR USE IN: Homes, Food Handling Establishments, Commercial or Institutional Kitchens, Dining Areas and Pantries of Restaurants, Supermarkets, Food Plants, Food Warehouses, Bottling Plants, Hospitals, Hotels, Motels, Stores, Dairies, Stables, Nursing Homes, Daycare Centers, Egg and Milk Handling Areas of Dairies and Chicken Houses.

GUARANTEE

Pyrethrins.....0.50%
Piperonyl Butoxide.....1.00%
N-octyl bicycloheptene dicarboximide.....1.00%

REGISTRATION NO. 24400 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 150-550 g

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

K-G SPRAY-PAK INC.
8001 Keele Street
Vaughan, Ontario
L4K 1Y8
905-669-9855

DIRECTIONS: Use indoors only. Hold container upright while spraying and keep spray at least 1m from interior walls, fabric & furniture.

FLYING INSECTS: Flies, mosquitoes, small flying moths, wasps, biting midges. Use in: Food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings. In hospitals, do not use in nurseries or rooms where infants, ill or aged persons are confined. Remove all personnel and patients before starting to treat area. For space spraying building with animals, remove animals before treatment. Close all doors and windows. Spray in a sweeping motion to all parts of the room, especially windows and light sources. Spray insects directly and direct mist into areas where insects are present. Apply for 2-3 seconds per 30 cubic metres of space. Sweep up and destroy fallen insects. Repeat as necessary. In food processing plants and food service establishments, you can apply when plant is in operation. **LIVESTOCK SPRAY:** To treat beef and dairy cattle (lactating and non-lactating) against flies. Spray animals once daily with fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of hair only, do not wet the skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking. **MILK PARLORS AND MILKROOM SPACE SPRAY :** When used in milk houses, and milk parlors use only when milk house is not in operation. Remove any animals from treatment area before spraying. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

CRAWLING INSECTS: Cockroaches, ants, spiders, silverfish, earwigs & lice. Open all cabinets, storage areas, closets. Spray directly on insects or in cracks and crevices where insects hide. **COCKROACHES:** For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. Also, spray around door and window frames. Repeat as necessary

SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, door frames, bookcases and storage areas should be made. Insects must be contacted by spray to be killed.

CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas and especially in closets, localized areas of basements and other damp areas. For best results, spray directly on insects.

ANTS: Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 9.5 sq m. of floor area. Then periodically spray as a space aerosol 3-5 seconds per 3.5 cu. m of space. **BED BUGS:** Spray Mattress, particularly around seams and tufts. Take bed apart, spray joints. Repeat as required. **FLEAS:** Spray sleeping quarters of pets. Old bedding should be removed and replaced with clean fresh bedding after treatment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not use in presence of open flame or spark or while smoking. CONTENTS UNDER PRESSURE. Container may explode if heated. Do not expose to temperature above 50 degrees C. Do not puncture or incinerate. Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin and eyes. Do not contaminate food or foodstuffs. Do not remain in treated areas. Vacate premises for at least 15 minutes after spraying. Ventilate the area after treatment is completed and before re-entering. Remove pets and birds. Cover fish aquariums before spraying. Food and cooking utensils should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply when the facility is not in operation. Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.,

If this pest control product is to be used on a commodity that may be exported to the U. S. and you require information on acceptable residue levels in the U. S., visit CropLife Canada's website at www.croplife.ca

STORAGE: Keep product in cool and dry place, away from open flames and heat sources.

FIRST AID INSTRUCTIONS: **If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of the product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.