

**Hartz® Control Pet Care System®
Flea & Tick Conditioning Shampoo for Dogs**

DOMESTIC

Guarantee:

d-trans Allethrin.....0.098%
N-Octyl Bicycloheptene Dicarboximide.....0.136%

REG. NO. 24592 PCP ACT

Contains 1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride at 0.10 % as a preservative.

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN
FOR USE ONLY ON DOGS**

Made in U.S.A. for;
HARTZ CANADA INC.
1125 Talbot St.
St. Thomas, Ontario
N5P 3W7
1-800-275-1414
www.hartz.com

CONTENTS: 473 mL

- Contains Protein Conditioners
- Cleans
- Freshens
- Deodorizes
- Beautifies

Kills fleas and ticks, including the Deer Tick, which may carry the organism which causes Lyme Disease.

Hartz® Control Pet Care products are designed to compliment each other in an integrated program for flea and tick management. To assure proper treatment, we recommend the use of Hartz® products for flea and tick management.

A mild, concentrated shampoo formulated especially for dogs. Effective, yet gentle. Conditions dog's coat and leaves it soft and manageable. Contains a special deodorant fragrance to overcome "doggie" odours.

DIRECTIONS FOR USE:

Do NOT administer by mouth. Shake bottle well before using. Wet dog thoroughly with warm water. Apply shampoo and rub shampoo into coat beginning at the head and working backward until entire body is covered with lather. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. Do NOT treat eyes, face or genitals of the pet. Allow the lather to remain for 5 minutes. Rinse thoroughly to remove all traces of shampoo on the dog's coat. Wipe off with coarse towel. Swab out ears. Wash hands after use.

Do NOT use on dogs under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do not use this shampoo more often than once every week. Treatment must be repeated only if the pest problem reoccurs. Do NOT use solely as a shampoo when there is no pest problem.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. May irritate eyes. Avoid contact with mouth, eyes and clothing. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pet until dry. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Rinse the dog thoroughly with water to remove all traces of shampoo. Avoid contact with dog's mouth, face, eyes and genitals. Do NOT allow dog to lick the suds from the coat or to ingest any of the shampoo.

FIRST AID:

HUMANS: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

PETS: Sensitivities may occur after using ANY pesticide for companion animals. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label, or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. No specific antidote.

STORAGE: Store container at room temperature.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.

{Use Hartz® Control Pet Care System® products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

*(Important Information
The ABC's of
Flea & Tick Management)*

**(A
Treat Your
Pet)**

A - Treat Your Pet with Conditioning Shampoo or Control Spray to kill fleas and ticks living on your pet.

B - Protect Your Pet with a Control Spray, Flea Collar or One-Spot to keep fleas and ticks from reinfesting your pet. The Hartz® Control Pet Care System®'s Flea & Tick Killer for Dogs, Ultimate Flea Collars for Dogs and One-Spot for Dogs all contain an insecticide to kill adult fleas and ticks as well as an insect growth regulator (vIGRen®) to kill flea eggs before they hatch.

C - Treat Your Home with Hartz® Control Pet Care System® Home Flea & Tick Killer to protect your entire home and guard against reinfestation. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home. Hartz® Control Pet Care System® Home Flea & Tick Killer effectively controls these pre-adult stages for 6 months.}

{NOTE TO REVIEWER: Italics = Optional Text}

Hartz® and Control Pet Care System® are Registered Trademarks of the Hartz Mountain Corp.

vIGRen® and Precor® are Registered Trademarks of Wellmark International.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.