

2015-1190

2015-06-24

# **CLUB PRO ALGAECIDE 60%**

Liquid Algaecide

Controls algae in swimming pool waters

**DOMESTIC  
REG. NO. 26887 P.C.P. ACT**

**GUARANTEE:  
Poly [(oxyethylene dimethyliminio) ethylene-  
(dimethyliminio) ethylene dichloride].....60%**

**CAUTION  
POISON**

**NET CONTENTS  
1 L**

**KEEP OUT OF REACH OF CHILDREN  
READ THE LABEL BEFORE USING**

**PIONEER DISTRIBUTION INC.  
3230 MAINWAY  
BURLINGTON, ONTARIO L7M 1A5  
905-335-2335**

## **PRECAUTIONS**

### **• KEEP OUT OF REACH OF CHILDREN.**

- Harmful if swallowed.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.

## **DISPOSAL**

Rinse container thoroughly before discarding. Do not re-use empty container. Offer for recycling if available, or dispose in accordance with local and provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

## **FIRST AID**

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION**

Treat symptomatically.

## **DIRECTIONS FOR USE:**

1. Initial dosage for pool water having no visible algae is 70 mL of CLUB PRO ALGAECIDE 60% per 10,000 L of pool water.
2. Weekly maintenance dosage is 25 mL of CLUB PRO ALGAECIDE 60% per 10,000 L of pool water.
3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
4. For visible algae, when superchlorination is not employed, add 100 mL of CLUB PRO ALGAECIDE 60% per 10,000 L of pool water.

## **ENVIRONMENTAL HAZARDS**

Toxic to aquatic organisms

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.