PRESCRIPTION TREATMENT® brand

AVERT

Cockroach Bait Stations Formula 1

KILLS: Cockroaches (including strains resistant to carbamate, organophosphate and pyrethroid insecticides)

COMMERCIAL

GUARANTEE:

Abamectin 0.05%

READ THE CARTON AND CONTAINER LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 26896

PEST CONTROL PRODUCTS ACT

Warning: Contains Peanuts

Contains 12 Child Resistant Bait Stations

NET WEIGHT: 18 grams (1.5 grams per unit)

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

BASF Canada Inc. 5025 Creekbank Road Building A, 2nd Floor Mississauga, Ontario L4W 0B6

Tel. No. 1-877-371-2273

PRESCRIPTION TREATMENT® brand AVERT® Cockroach Bait Stations contain a slow acting insect bait. For best results placement of the bait should be into or near insect harborage sites.

FOR USE IN AND AROUND: Apartments, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment

2022-03-04

(Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

DIRECTIONS FOR USE

COCKROACHES: Concentrate treatment at insect activity sites, and other sites where these insects are found.

- 1. Remove bait station from container and break apart from the plastic frame.
- 2. For thorough roach control, place in areas of known or suspected cockroach activity. Use approximately 6 to 12 stations per 10 square meters.
- 3. For best results, place the bait stations next to the wall along baseboards, in corners, under sinks, in cabinets and near plumbing fixtures. Use under and around equipment and appliances. If possible, place in voids.
- 4. Bait stations work best on horizontal surfaces touching corners and walls. If you apply a bait on a vertical surface, remove peel and stick backing on bottom of bait station.
- 5. Replace bait stations when necessary, approximately every 3 months.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

Avoid contamination of food. Use as instructed above.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Do not remove bait from station. Avoid contamination of food and feed. Do not place directly over food, utensils, dishes or food preparation areas.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

STORAGE

Store in a cool, dry areas inaccessible to children.

2022-0975

2022-03-04

DISPOSAL

Do not reuse empty container. Dispose of empty container with household garbage.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.