

2024-02-20
2023-2188

This label has been updated according to the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until March 2, 2025 in accordance with the phase out period set out in the re-evaluation decisions for Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing pmra.info-arla@hc-sc.gc.ca. In your email please include the product name and Registration number of the label you are requesting.

VET-KEM®

**OVITROL™ PLUS
FLEA & TICK SHAMPOO
for Dogs & Cats**

With Precor® Insect Growth Regulator (IGR)

FOR USE ONLY ON DOGS & CATS

Kills dog fleas, cat fleas, brown dog ticks and American dog ticks.

DO NOT USE ON PUPPIES OR KITTENS LESS THAN 8 WEEKS OLD

DO NOT USE ON ANY OTHER ANIMAL

DOMESTIC
SOLUTION

KILLS adult flea & ticks

KILLS flea eggs for 4 weeks

ENRICHED with aloe, oatmeal, lanolin & coconut oil

(picture of cat & dog)

symbol and text "conditioning formula"

ACTIVE INGREDIENTS

(S)-Methoprene 0.10%

Pyrethrins 0.15%

Piperonyl Butoxide 1.50%

REG. NO. 26608 P.C.P. ACT

Contains DMDM hydantoin at 0.21%, methylparaben at 0.08% and propylparaben at 0.02% as preservatives.

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

WARNING: EYE AND SKIN IRRITANT

Wellmark International
100 Stone Road West, Suite 111
Guelph, ON N1G 5L3
1-800-688-7378

Net Contents: 355 ml

GENERAL INFORMATION: Vet-Kem Ovitrol Plus Flea & Tick Shampoo is an innovative concentrated insecticidal shampoo enriched with oatmeal, coconut extract, lanolin and aloe. It leaves your pet's coat soft, shining and manageable. It kills adult cat fleas, dog fleas, American dog ticks and brown dog ticks. Vet-Kem Ovitrol Plus Flea & Tick Shampoo contains the Insect Growth Regulator (IGR), Precor, which effectively breaks the flea life cycle and prevents the growth of the preadult stages of the flea. One treatment kills adult fleas and ticks and keeps flea eggs from hatching for 4 weeks.

USE LIMITATIONS

DO NOT use on puppies or kittens less than 8 weeks old.

DO NOT use on nursing animals.

Consult a veterinarian before using on sick, aged, or pregnant animals or animals receiving drug or other pesticide treatment.

DO NOT administer by mouth.

DO NOT allow the dog/cat to lick the suds from the coat or to ingest any of the shampoo.

DO NOT use solely as a shampoo when there is no pest problem.

This product contains Piperonyl butoxide, Pyrethrins and (S)-Methoprene. **DO NOT** apply another pest control product such as a shampoo, spot on, collar or powder which contains Piperonyl butoxide, Pyrethrins or (S)-Methoprene to the treated animal when using Vet-Kem Ovitrol Plus Flea & Tick Shampoo.

DIRECTIONS FOR USE:

FOR USE ONLY ON DOGS AND CATS

To kill dog fleas, cat fleas, brown dog ticks and American dog ticks.

SHAKE WELL BEFORE USING. Vet-Kem Ovitrol Plus Flea & Tick Shampoo should be used at full strength.

DO NOT use more than 8 mL of Vet-Kem Ovitrol Plus Flea & Tick Shampoo per kilogram body weight. Wet coat of the dog/cat thoroughly with warm water. Apply shampoo, working lather down to the skin from head to tail until entire body is covered. Ticks are difficult to control, therefore take care to treat individual ticks. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. **DO NOT** apply to dog's/cat's face, eyes, nose, mouth or genitals. Allow lather to remain on dog/cat for 3-5 minutes. Rinse thoroughly with water to remove all traces of shampoo from the dog's/cat's coat. Dry the dog/cat thoroughly with a dry towel and comb or brush.

Given the residual control afforded by Vet-Kem Ovitrol Plus Flea and Tick Shampoo, **DO NOT** use this shampoo more often than once every 4 weeks. Treatment must only be repeated if pest problem reoccurs.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, a premise treatment with an insecticide labelled for that use may be required (Zodiac Premise Plus, Zodiac Premise 1000/2000). A veterinarian should be consulted when flea infestation continues to be a problem on the pet. The use of an effective product for controlling adult and larva flea populations in the pet's environment will reduce the possibility of re-infestation of the animal.

PRECAUTIONS:

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes moderate eye and skin irritation. Avoid contact with mouth, eyes, skin and clothing. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pet until dry. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed.

Side Effects:

Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or Wellmark International at 1-800-688-7378.

Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting, or loss of appetite may also occur. If these or other side effects occur consult your veterinarian or Wellmark International at 1-800-688-7378.

FIRST AID:

HUMANS: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. **DO NOT** induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

PETS: Sensitivities may occur after using ANY pesticide for companion animals. Sensitive cats may exhibit temporary and non-harmful salivation when exposed to Pyrethrins-containing products. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and PCP Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Treat symptomatically.

STORAGE: Store this product away from food or feed.

DISPOSAL: **DO NOT** reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

100% satisfaction guaranteed.

HOT LINE 1-800-688-7378

® Registered Trademarks of Wellmark International
Ovitrol is a trademark of Wellmark International