

2022-5545
2022-11-24

PLANTSKYDD DEER REPELLENT
Pre-mixed RTU Solution

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Dried Blood.....16.7%

REGISTRATION NO. 27413 PEST CONTROL PRODUCTS ACT

Made in USA

Plantskydd repels by odour*

NET CONTENTS: 1 L
FOR OUTDOOR USE ONLY.

Effective against deer and elk for 2-4 months on conifers. May repel deet and elk from
browsing on dormant deciduous woody ornamental plants.
May repel rabbits and hares from browsing on conifers and dormant deciduous woody
ornamental plants.

Canadian Registrant / Public Inquiries Contact

Tree World® logo

*** girl with seedling**

4466 Stalashen Drive

Sechelt, B.C.

Canada, V7Z 0B3

Tel: 1-800-252-6051

plantskydd.ca

info@treeworld.com

DIRECTIONS FOR USE:

For outdoor use only.

Plantskydd Deer Repellent Pre-mixed RTU Solution prevents browsing damage by deer and elk on conifers for 2 to 4 months. May also repel deer and elk from browsing on dormant deciduous woody ornamentals. Plantskydd Deer Repellent Pre-mixed RTU Solution may also repel rabbits and hares from browsing on conifers and dormant deciduous woody ornamentals.

It is advisable to treat a small portion of plant(s) to determine sensitivity. Plants treated with Plantskydd Deer Repellent Pre-mixed RTU Solution may experience some effects such as becoming darker in appearance. Original color returns after 1 or 2 days.

Avoid spraying surface of other substrates such as concrete and wood to prevent damage (e.g., discolouration).

- Shake well before each use.
- Apply above 0° C. For best results, apply in early morning or late afternoon.
- Adjust nozzle for fine spray.
- Plants should be well hydrated prior to treatment.
- Spray on dry plants only. After rainfall or watering, wait until plants are dry.
- Apply to the parts of the plant which are frequently browsed.
- For deer and elk, spray mainly the top of plants.
- For rabbits and hares, spray mainly lower areas of the plant such as the stem.
- Expect some reduction in repellency during very warm and sunny weather (e.g., June-August).
- After spraying, allow to dry 1-2 days before watering.
- If sprayer clogs, flush with hot water.
- Close sprayer nozzle and rinse nozzle and gloves after use.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Conifer seedlings: For use on cedar, fir, pine, spruce and other conifer seedlings. Apply in late fall (overwinter browse) or early spring. Treat pine before or after, but not during, bud-flush period. Squeeze trigger twice for each dry plant. Do not increase the above dosage of two spray blasts per seedling! Seedlings should be wet but not dripping. Always treat new growth. Spray once or twice per year as browsing conditions warrant.

Established conifers and Dormant deciduous woody ornamentals: Apply in late fall (overwinter browse) or early spring. Treat pine before or after, but not during, bud-flush period. Spray onto dry plants until damp but not to dripping. Always treat new growth on established conifers. Re-apply as necessary if risk of feeding damage persists.

All other outdoor ornamentals (e.g., trees, shrubs, flowers): Apply before browsing begins (e.g., early spring). Spray plants until wet but not dripping. Always apply to new growth. Re-apply as necessary if browsing damage persists. Note: Treat pine before or after, but not during, bud-flush period.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

DO NOT ingest. Wash hands with soap and water after handling.

For good hygiene practice, wear waterproof gloves when handling this product.

FIRST AID:

If on skin : Take off contaminated clothing, flush the skin with water for 15 to 20 minutes. Call a poison control center or doctor for advice on treatment

.If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

- Store this product away from food or feed.
- Store in a cool, dry, dark place between 5° and 20° C for up to 90 days after opening.
- Avoid direct sunlight and freezing

DISPOSAL:

Do not reuse empty container. Recycle container where facilities exist. Otherwise, dispose of empty container with household garbage.

Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.