

GROUP	<b>1</b>	HERBICIDE
-------	----------	-----------

**HORIZON<sup>®</sup> W.O. Herbicide**  
**(A Component of HORIZON W.O. Herbicide Tank Mix)**

AGRICULTURAL

Emulsifiable Concentrate

FOR SALE FOR USE ONLY IN THE PRAIRIE PROVINCES AND PEACE RIVER, OKANAGAN  
AND CRESTON FLATS REGIONS OF BRITISH COLUMBIA

This component must only be used in the HORIZON W.O. Herbicide Tank Mix

**GUARANTEE:**

Clodinafop-propargyl..... 240 g/L

**READ THE LABELS AND THE ENCLOSED HORIZON W.O. BOOKLET BEFORE USING**  
**KEEP OUT OF REACH OF CHILDREN**

CAUTION



POISON

**WARNING: EYE & SKIN IRRITANT**

Warning, contains the allergen epoxidized soybean oil.

REGISTRATION NO.: **25477**  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **1.84 L, 3.6 L, 4.7 L**

**Syngenta Canada, Inc.**

140 Research Lane, Research Park  
Guelph, Ontario  
N1G 4Z3  
Telephone: 1-877-964-3682

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

## FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If on skin or clothing**, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If swallowed**, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

## TOXICOLOGICAL INFORMATION

This tank mix contains materials that may cause severe pneumonitis if aspirated. Treat symptomatically for ingestion and/or skin and eye contact. This product contains PETROLEUM DISTILLATES.

## PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN.
- Harmful if swallowed.
- May irritate eyes. Do not wear contact lenses when using.
- Avoid contact with skin, eyes and clothing. Wear coveralls or long sleeved shirt and pants, chemical resistant gloves, and goggles when mixing, loading or during equipment clean up or repair.
- Wash gloves thoroughly with soap and water before removing them during any operation.
- Wash hands thoroughly with soap and water after using this product and before eating, drinking or smoking.

- Remove contaminated clothing immediately after use. Store and wash contaminated clothing separately from household laundry before reuse. Wash thoroughly with soap and water after handling. Handle and apply only as recommended on this label.
- Do not eat, drink or smoke while mixing, loading or during application.
- Do not contaminate streams, rivers, lakes, ponds, wetlands, sloughs, irrigation water, vegetated ditch banks, and water used by livestock or for domestic purposes. Do not apply within 15 metres of a wetland area or any of the aforementioned bodies of water.
- This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at [www.croplife.ca](http://www.croplife.ca).

## ENVIRONMENTAL HAZARDS

This product contains aromatic petroleum distillates which are toxic to aquatic organisms.

## STORAGE

Store the product in closed original container in a well-ventilated room. Keep out of reach of children, unauthorized persons and animals. Store separate from food, feed, and fertilizer.

## DECONTAMINATION AND DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

### CONTAINER DISPOSAL:

#### **FOR DISPOSAL OF PLASTIC JUGS:**

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,  
CALL 1-800-327-8633 (FASTMED)***



GROUP	<b>1</b>	HERBICIDE
-------	----------	-----------

**HORIZON<sup>®</sup> W.O. Herbicide Tank Mix**  
(A Component of HORIZON W.O. Herbicide Tank Mix)

AGRICULTURAL

Emulsifiable Concentrate

HORIZON W.O. Herbicide Tank Mix is a single pass liquid post emergence herbicide with adjuvant for use in spring wheat and Durum wheat to control wild oats and green foxtail

FOR SALE FOR USE ONLY IN THE PRAIRIE PROVINCES AND PEACE RIVER, OKANAGAN AND CRESTON FLATS REGIONS OF BRITISH COLUMBIA

**READ THE LABELS AND THIS BOOKLET BEFORE USING  
KEEP OUT OF REACH OF CHILDREN**

CAUTION



POISON

**WARNING: EYE & SKIN IRRITANT**

Warning, contains the allergen epoxidized soybean oil.

**NET CONTENTS:** This tank mix concept contains:

**HORIZON W.O. Herbicide**

REGISTRATION NO. **25477**

PEST CONTROL PRODUCTS ACT

**GUARANTEE:** Clodinafop-propargyl .....240 g/L

**SCORE<sup>®</sup> Adjuvant**

REGISTRATION NO. **25476**

PEST CONTROL PRODUCTS ACT

**GUARANTEE:** petroleum hydrocarbon blend .....83%  
surfactant blend.....17%

**Syngenta Canada, Inc.**

140 Research Lane, Research Park

Guelph, Ontario

N1G 4Z3

Telephone: 1-877-964-3682

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

## FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If on skin or clothing**, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If swallowed**, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

## TOXICOLOGICAL INFORMATION

This tank mix contains materials that may cause severe pneumonitis if aspirated. Treat symptomatically for ingestion and/or skin and eye contact. This product contains PETROLEUM DISTILLATES.

## PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN.
- Harmful if swallowed.
- May irritate eyes. Do not wear contact lenses when using.
- Avoid contact with skin, eyes and clothing. Wear coveralls or long sleeved shirt and pants, chemical resistant gloves, and goggles when mixing, loading or during equipment clean up or repair.
- Wash gloves thoroughly with soap and water before removing them during any operation.
- Wash hands thoroughly with soap and water after using this product and before eating, drinking or smoking.

- Remove contaminated clothing immediately after use. Store and wash contaminated clothing separately from household laundry before reuse. Wash thoroughly with soap and water after handling. Handle and apply only as recommended on this label.
- Do not eat, drink or smoke while mixing, loading or during application.
- Do not contaminate streams, rivers, lakes, ponds, wetlands, sloughs, irrigation water, vegetated ditch banks, and water used by livestock or for domestic purposes. Do not apply within 15 metres of a wetland area or any of the aforementioned bodies of water.
- This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at [www.croplife.ca](http://www.croplife.ca).

## **ENVIRONMENTAL HAZARDS**

This product contains aromatic petroleum distillates which are toxic to aquatic organisms.

## **STORAGE**

Store the product in closed original container in a well-ventilated room. Keep out of reach of children, unauthorized persons and animals. Store separate from food, feed, and fertilizer.

## **DECONTAMINATION AND DISPOSAL**

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

### **CONTAINER DISPOSAL:**

#### **FOR DISPOSAL OF PLASTIC JUGS:**

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

**IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,  
CALL 1-800-327-8633 (FASTMED)**

## PRODUCT INFORMATION

HORIZON W.O. Herbicide Tank Mix is a systemic, post-emergence herbicide with adjuvant for the selective control of wild oats and green foxtail in all types of spring wheat and Durum wheat. Do not use HORIZON W.O. Herbicide Tank Mix on barley, as crop injury will occur.

HORIZON W.O. Herbicide Tank Mix is absorbed by the leaves and is rapidly translocated to the growing points of leaves and stems. Thorough coverage of the plants is essential for consistent control. Actively growing wild oats and green foxtail stop growing within 48 hours after treatment. Depending on growing conditions, and crop competition, leaves and growing points turn yellow within one to three weeks after application. Further colour changes and loss of vigour will be observed, followed by a browning and complete control three to five weeks after application.

Although HORIZON W.O. Herbicide Tank Mix does not control broadleaf weeds, it can be further tank-mixed with a wide range of broadleaf herbicides to provide broad spectrum weed control. See section entitled TANK MIXES WITH BROADLEAF WEED HERBICIDES.

## DIRECTIONS FOR USE

For tank mix partners, regions of use are restricted to regions specified on the most restrictive labels.

**CROPS:** Spring Wheat and Durum Wheat

HORIZON W.O. Herbicide Tank Mix can be used on all types of spring wheat and Durum wheat. Observe minimum interval to harvest of 60 days after treatment. Do not apply on barley or any crop other than spring wheat or Durum wheat, as crop damage will result. Do not allow spray to drift to adjacent fields seeded to crops other than spring wheat or Durum wheat. Do not treat wheat underseeded to forages. Observe a minimum of three (3) days before grazing livestock on crops treated with HORIZON W.O. Herbicide Tank Mix.

**WEEDS CONTROLLED:** Wild Oats and Green Foxtail

## TIMING OF APPLICATION:

TIMING	GROWTH STAGE	ADDITIONAL REMARKS
WILD OATS	1 to 6 leaf stage on main stem	Prior to emergence of 4th tiller
GREEN FOXTAIL	1 to 5 leaf stage on main stem	For optimum control, apply prior to emergence of the 3rd tiller and while foxtail is actively growing
SPRING WHEAT AND DURUM WHEAT	Prior to emergence of 4th tiller	When tank-mixing with a broadleaf herbicide, always refer to the label of the broadleaf partner prior to use.



- For optimum results, apply HORIZON W.O. Herbicide Tank Mix to actively growing weeds. An early application will maximize crop yields by reducing weed competition. Weeds emerging after application will not be controlled.
- Weed control following application of HORIZON W.O. Herbicide Tank Mix alone, or in combination with broadleaf weed herbicides, can be reduced or delayed under stress conditions such as drought, heat, insufficient fertility, flooding or prolonged cool temperatures. Grass escapes or re-tillering may occur if application is made during prolonged stress conditions. Optimum weed control will be obtained if application of HORIZON W.O. Herbicide Tank Mix is delayed until the stress conditions have ended and weeds are once again actively growing.
- HORIZON W.O. Herbicide Tank Mix alone can be used 30 minutes before rainfall.
- Do not apply to crop that is stressed by conditions such as frost, low fertility, drought, flooding, disease or insect damage as crop injury may result.

#### **RATE OF USE:**

Apply the recommended rate of HORIZON W.O. Herbicide and SCORE Adjuvant in a minimum of 100L of water per hectare.

<b>To Control:</b>
WILD OATS AND GREEN FOXTAIL
Apply: 230 mL/ha of HORIZON W.O. Herbicide  +  800 mL/ha of SCORE Adjuvant with 100 L/ha of water (0.8% volume/volume)

**NOTE: Always use SCORE Adjuvant with HORIZON W.O. Herbicide.**

#### **TANK MIXES of HORIZON W.O. HERBICIDE TANK MIX WITH BROADLEAF WEED HERBICIDES:**

CROP: SPRING WHEAT and DURUM WHEAT

For broad spectrum control of wild oats, green foxtail and broadleaf weeds, HORIZON W.O. Herbicide Tank Mix can be tank-mixed with the broadleaf herbicides listed in the following table. Consult the label of the tank-mix partner for a list of broadleaf weeds controlled, rates, timing, recropping restrictions, grazing interval restrictions, recommendations for specific weeds, directions for use and precautions. Use in a minimum of 100L of water per hectare.

**Tank mixes with broadleaf weed herbicides:**

When tank-mixing always add the broadleaf herbicide(s) to the spray tank first; followed by HORIZON W.O. Herbicide, with SCORE Adjuvant added last. For the appropriate rate of HORIZON W.O. Herbicide and SCORE Adjuvant refer to the "Rate of Use" section of the label.

<b>Tank-Mix Partner</b>	<b>Product Rates</b>	<b>Crop Stage<sup>1</sup></b>
TARGET <sup>®</sup> Liquid Systemic Herbicide	1.0 to 1.5 L/ha	2 to 5 leaf
Dyvel <sup>†</sup> Herbicide Agricultural	1.25 L/ha	2 to 5 leaf
Buctril <sup>†</sup> M	1.0 L/ha	2 leaf to flag leaf
Estaprop <sup>†</sup> Plus Liquid Herbicide	1.75 L/ha	4 leaf to early flag leaf (shot blade)
Turboprop <sup>†</sup>	1.75 L/ha	4 leaf to early flag leaf (shot blade)
Dichlorprop <sup>†</sup> -D	1.75 L/ha	4 leaf to early flag leaf (shot blade)
Lontrel <sup>†</sup> 360	0.42 to 0.84 L/ha	3 leaf to flag leaf
Lontrel 360 tank mixed with MCPA Ester (assume 500 series)	280 - 420 mL/ha tank mixed with 1.1 L/ha	3 leaf to flag leaf
Curtail <sup>†</sup> M	1.5 - 2.0 L/ha	3 leaf to just before flag leaf
Prestige <sup>†</sup> Herbicide Tank Mix <sup>7</sup>	600 - 800 mL/ha of Prestige A + 1.5 - 2.0 L/ha of Prestige B	3 leaf to flag leaf
Approve <sup>†</sup> Herbicide	1.24 L/ha	4 leaf to flag leaf
Thumper <sup>†</sup> EC	1.0 L/ha	4 leaf to flag leaf
2,4-D Amine (assume 600 series) <sup>3</sup>	700 to 920 mL/ha	3 leaf to flag leaf
2,4-D Amine (assume 500 series) <sup>3</sup>	840 mL to 1.1 L/ha	3 leaf to flag leaf
MCPA Amine (assume 500 series) <sup>3</sup>	840 mL to 1.1 L/ha	3 leaf to flag leaf
MCPA Amine (assume 600 series) <sup>3</sup>	700 to 920 mL/ha	3 leaf to flag leaf
MCPA Ester (assume 500 series)	840 mL to 1.1 L/ha	3 leaf to flag leaf
MCPA Ester (assume 600 series)	700 to 920 mL/ha	3 leaf to flag leaf
MCPA 300SL Sodium salt	1.2 L to 2.7 L/ha <sup>5</sup>	3 leaf to flag leaf
Koril 235 Liquid Herbicide	1.2 L/ha	2 leaf to flag leaf
Pardner <sup>†</sup>	1.0 L/ha	2 leaf to flag leaf
Ally <sup>†2</sup>	7.5 g/ha	2 leaf to flag leaf
Attain <sup>†</sup> Herbicide Tank Mix <sup>7</sup>	450 - 600 mL/ha of Attain A + 0.75 - 1.0 L/ha of Attain B	4 leaf to flag leaf
Decis Flowable Insecticide	80-120 mL/ha	Prior to emergence of 4 <sup>th</sup> tiller
TILT 250E Fungicide	250 - 500 mL/ha	Prior to emergence of 4 <sup>th</sup> tiller
Mecoprop-P <sup>5</sup>	5.5 - 7.0 L/ha	3 leaf to just before flag leaf
MATADOR 120EC Insecticide	63 - 83 mL/ha	Prior to emergence of 4 <sup>th</sup> tiller
Mextrol <sup>†</sup> 450 Liquid Herbicide	1.25 L/ha	2 leaf to flag leaf
Trophy Herbicide Tank-Mix <sup>4</sup>	0.6 L/ha of Trophy A + 1.12 L/ha Trophy B	3 leaf to flag leaf
Florasulam <sup>†</sup> SC Herbicide Tank Mix	100 mL/ha of Florasulam SC	2 to 4 leaf
Benchmark <sup>†</sup> Herbicide Tank Mix	100 mL/ha Benchmark A + 1.12 L/ha Benchmark B	2 to 6 leaf
Refine Extra <sup>†2</sup> 75 DF tank mixed with Accord <sup>†</sup> DF Herbicide <sup>6</sup>	20 g/ha of Refine Extra + 67 g/ha of Accord DF	2 to 5 leaf
Refine SG <sup>†</sup> Herbicide <sup>2</sup>	30 g/ha	2 leaf to flag leaf
Refine SG Toss-N-Go Herbicide <sup>†2</sup>	30 g/ha	2 leaf to flag leaf
DYCLEER <sup>®</sup> Agricultural Herbicide <sup>8</sup> + Starane <sup>†</sup> Herbicide	(0.11 to 0.39 L/ha of DYCLEER Agricultural) + (0.16 to 0.58 L/ha of Starane	2 to 5 leaf
PULSAR <sup>™</sup> Herbicide	0.607 - 0.917 L/ha	2 to 5 leaf

<sup>1</sup> Always consult the label of the broadleaf herbicide, insecticide or fungicide prior to use.
<sup>2</sup> Addition of surfactants is not required.
<sup>3</sup> A reduction in control of green foxtail and wild oats may be observed when HORIZON W.O. Herbicide is tank mixed with 2,4-D Amine and MCPA Amine.
<sup>4</sup> Rates above 2.0 L/ha may cause crop injury
<sup>5</sup> Tank mix with Mecoprop provides suppression of Canada Thistle (top growth control)
<sup>6</sup> When tank-mixing with Accord DF Herbicide, do not graze treated crops or cut for hay within 77 days of application.
<sup>7</sup> Refer to broadleaf tank-mix label for list of weeds controlled at low and high use rates.
<sup>8</sup> When tank-mixing with DYCLEER + Starane, use SCORE Adjuvant.

Temporary crop injury may occur with tank mixes under extreme weather conditions or when the crop is suffering from stress due to inadequate or abnormally high moisture levels or extreme temperatures.

Do not tank-mix with any chemical additives, pesticides, or fertilizers which are not recommended on this label.

#### MIXING INSTRUCTIONS:

1. Clean spray tank and half fill with clean water. Start agitation or bypass system.
2. If a broadleaf herbicide is to be used, add the product **FIRST** prior to adding HORIZON W.O. Herbicide and agitate for 2-3 minutes.
3. Add correct amount of HORIZON W.O. Herbicide.
4. Agitate for 2-3 minutes.
5. Add correct amount of SCORE Adjuvant.
6. Agitate for 1-2 minutes before adding remainder of water and then maintain constant agitation.
7. After any break in spraying operations, agitate thoroughly before spraying again.
8. **Use the spray suspension as soon as it is prepared.**
9. If an oil film starts to build up in the tank, drain tank and then clean with a detergent.

#### SPRAYING INSTRUCTIONS:

1. HORIZON W.O. Herbicide Tank Mix is for ground application only. **DO NOT APPLY BY AIRCRAFT.**
2. Water Volume: Minimum 100 litres per hectare.
3. Spray Nozzles: 80° or 110° flat fan stainless steel nozzles are recommended for optimal spray coverage. Use 50-mesh nozzle screens. Application of the spray mixture at a 45° angle in the direction of travel will result in improved spray coverage. Do not use flood type nozzles, controlled droplet application equipment, spray foils or hollow cone nozzles.
4. Pressure: 275-310 kPa.
5. Apply uniformly at 6-8 km/hr and avoid overlapping. Shut off spray boom while starting, turning, slowing or stopping to prevent crop injury from an over application.

#### SPRAYER CLEAN-UP:

Thoroughly clean application equipment immediately after spraying. Ensure that all traces of the product are removed. The following recommendations are provided:

1. Drain and flush tank walls, boom and all hoses for ten minutes with clean water. **Do not** clean the sprayer near desirable vegetation, wells, or other water sources.
2. Remove the nozzles and screens and wash separately.
3. Dispose of all rinsings in accordance with provincial regulations.
4. If a broadleaf tank mix partner is used, always check tank mix partner label for any additional clean up procedures.

**NOTE TO USER:**

The DIRECTIONS FOR USE for this product for the use described below were developed by persons other than Syngenta Canada, Inc. and accepted for registration by Health Canada under the User Requested Minor Use Label Expansion program. Syngenta Canada, Inc. itself makes no representation or warranty with respect to performance (efficacy) and/or crop tolerance (phytotoxicity) claims for this product when used on the crop listed below.

Accordingly, the User assumes all risks related to performance and crop tolerance arising, and agrees to hold Syngenta Canada, Inc. harmless, from any claims based on efficacy and/or phytotoxicity in connection with the use described below.

**DIRECTIONS FOR USE IN THE OKANAGAN AND CRESTON FLATS REGION OF BC:**

HORIZON W.O. Herbicide Tank Mix can be used for the control of wild oats and green foxtail in spring wheat and Durum wheat in the Okanagan and Creston Flats Regions of British Columbia. For information on crop and weed stages, rates of application, mixing and spraying instructions and precautions see the appropriate sections elsewhere on this label.

**RESISTANCE MANAGEMENT**

For resistance management, please note that HORIZON W.O. Herbicide Tank Mix is a Group 1 herbicide. Any weed population may contain or develop plants naturally resistant to HORIZON W.O. Herbicide Tank Mix and other Group 1 herbicides. The resistant biotypes may dominate the weed population if these herbicides are used repeatedly in the same field. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

**To delay herbicide resistance:**

Where possible, rotate the use of HORIZON W.O. Herbicide Tank Mix or other Group 1 herbicides with different herbicide groups that control the same weeds in a field.

Use tank mixtures with herbicides from a different group when such use is permitted.

Herbicide use should be based on an IPM program that includes scouting, historical information related to herbicide use and crop rotation, and considers tillage (or other mechanical), cultural, biological and other chemical control practices.

Monitor treated weed populations for resistance development.

Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment and planting clean seed.

Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes.

For further information or to report suspected resistance, contact Syngenta Canada, Inc. at 1-877-SYNGENTA (1-877-964-3682) or at [www.syngenta.ca](http://www.syngenta.ca)

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company

† All other products listed are trademarks of their respective companies.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.