TREE GUARD® DEER REPELLENT

Ready to Use

Contains BitrexTM

Deer repellent with a rain resistant formula to discourage deer from feeding on trees, shrubs, and other non-food woody plants.

DOMESTIC

GUARANTEE

Denatonium Benzoate 0.20%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING REG. NO. 25198 P.C.P. ACT

Becker Underwood, Inc. 801 Dayton Ave. PO Box 667 Ames, IA 50010 USA 800-232-5907

A Becker Underwood Canada Ltd. 3835 Thatcher Ave. Saskatoon, Saskatchewan S7R 1A3 CANADA 306-373-3060

www.beckerunderwood.com

NET CONTENTS • 946 mL

KEEP OUT OF REACH OF CHILDREN

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause skin reactions. Discontinue use if any skin reactions occur. Wear chemical-resistant gloves when handling TREE GUARD® or contaminated equipment. Wash thoroughly with soap and water after handling and before eating or smoking. Do not reenter treated area until the spray has dried.

FIRST AID:

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap partially filled or empty container in newspaper and place in regular garbage.

GENERAL INFORMATION: TREE GUARD® is a ready to use deer repellent that discourages deer from feeding on trees, shrubs, ornamentals, conifers, and non-bearing deciduous trees. Use only at temperatures between 5°C and 32°C (40°F and 90°F). Do not use on food or feed crops. TREE GUARD® has been tested on many species of plants and trees and is not believed to be phytotoxic. Test a small portion of a plant species before treating entire plant. Children and pets may enter treated area after spray has dried. Do no apply or drift onto stone, concrete or siding as staining may occur. **Keep from freezing.**

DIRECTIONS FOR USE: Shake well before using. Apply product directly to dry plants only. Hold spray tip 30 to 60 cm (1 to 2 ft) from plants and spray leaves, needles, buds and branches subject to browsing by deer. Thoroughly wet surfaces but not to run-off. For best results, apply to bare branches in fall and to unprotected foliage in spring. Repeat as needed. **Clean application equipment immediately after use before spray dries.**

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.