

GEFFË Ë Î
GEFGËFËHÉÁ
Á
Á
Á

covers 238 m² (2,560 ft²)

Wilson AntOut Ant Killer Attach and Spray
Emulsifiable Concentrate

DOMESTIC

REG. NO. 26702 P.C.P. ACT

GUARANTEE: Carbaryl (SEVIN®) 22.5%
Contains 1,2-benzisothiazolin-3-one at 0.019% as a preservative.

CAUTION



POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

1 L

Sure-Gro IP Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

For control of Ants: Apply 500 mL (1/2 of bottle) evenly over 96 m² - 133 m² (1033 ft² – 1430 ft²) of established lawn, recreational area, roadway or path borders. For best results mow lawn and apply after watering or rain. Ensure good penetration of turf. Repeat 2 to 3 weeks later if necessary.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USE. PROTECT FROM FREEZING.

Apply Wilson AntOut Ant Killer Attach and Spray using hose-end applicator

attached. It will dilute the product for direct spraying of lawns.

1. Read label for application instructions and precautions.
2. Shake container thoroughly before attaching to hose.
3. Turn water supply on at the source. Water pressure will build in hose since the sprayer is already in the "OFF" position.
4. To apply product, bend safety tab and turn the control valve clockwise to the "ON" position.
5. For best results, hold bottle level.
6. To turn off, turn control valve counterclockwise so that the valve indicator arrow is pointing to the "WATER" position on the sprayer. Flush with water to clean sprayer head, then turn the control valve to "OFF" position. Turn water off. Disconnect hose from applicator and store product in original container.

NOTE: "WATER" position is to be used only for cleaning sprayer head.

CAUTION: Rate of delivery of product will vary depending on water pressure, location, time of-day, length and diameter of hose. This product (1 L) can be sprayed in approximately 3 to 6 minutes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of spray. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Remove and wash contaminated clothing separately after pesticide use. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS.

BEE CAUTION: MAY KILL HONEY BEES IN SUBSTANTIAL NUMBERS. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not spray when bees are active. Avoid application on flowers and fruit blossoms.

PLANT RESPONSE AND PRECAUTIONS: To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected during the next two days. Carbaryl injures Boston ivy, Virginia creeper and maidenhair fern. During early season, it may also injure Virginia and sand pines.

FIRST AID: If on skin or clothing, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl insecticide is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. DO NOT use 2-PAM, opiates, or cholinesterase inhibiting drugs.

STORAGE AND DISPOSAL: Store unused Wilson AntOut Ant Killer Attach & Spray in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperature frequently exceeds 38°C. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty pesticide containers. Wrap empty containers in newspaper and dispose of with household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.cilproducts.ca

C-I-L® ICI Canada Inc. Licensed user Spectrum Brands Canada
SEVIN® is a registered trademark of The Bayer Group. Spectrum Brands Canada Inc., is a licensed user.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.