

**Hartz® 2 in 1®
Flea & Tick Aerosol for Dogs**

**Kills Fleas
Kill Ticks**

Conditioning Formula

DOMESTIC


GUARANTEE:

Tetrachlorvinphos1.08%

REG. NO. 25189 P.C.P. ACT

Contains 1,3-Bis(hydroxymethyl)-5,5- dimethylhydantoin at 0.096% and hydroxymethyl-5,5-
dimethylhydantoin at 0.0225% as preservatives

CAUTION



EXPLOSIVE FLAMMABLE

**KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING
FOR USE ONLY ON DOGS**

Net Contents: 198 g

Hartz Canada Inc.
1125 Talbot St.
St. Thomas, ON
N5P 3W7
800-275-1414

www.hartz.com

- Direct Treatment
- Kills fleas and ticks, including deer ticks, which may carry the organism which causes Lyme Disease
- Fast acting
- Unaffected by water
- Kills fleas and ticks which reduces incidences of itching and scratching
- Conditioning formula

Hartz® products are designed to compliment each other in an integrated program for flea and tick management. To assure proper treatment, we recommend use of Hartz® products for flea and tick management.

DIRECTIONS FOR USE:

Use ONLY in a well-ventilated area, preferably outdoors. Shake well before using. Hold container in upright position and spray the animal from a distance of 20–30 cm. Spray the entire body of the pet, beginning at the tail and working towards the head. Do NOT spray animal's face, eyes or genitals. As you spray, fluff the hair of the pet. Only spray until the hair is damp — not wet. For best penetration, spray against the natural lay of the hair to cause fluffing of the coat. Spray ticks directly. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. For longhaired animals, ruffle hair for spray to reach skin. After 10 minutes, dry animal with towel. (Wash towel separately from other household laundry.) Comb and brush coat.

Do NOT use on dogs under 12 weeks of age. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do NOT use this product at the same time or within 30 days before or after treatment with, or exposure to, other cholinesterase-inhibiting drugs, pesticides or chemicals. Do NOT use this spray more often than once a week. Treatment must be repeated only if the pest problem persists or reoccurs.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS

PHYSICAL AND CHEMICAL HAZARDS: Caution Flammable: Contents under pressure. Do NOT place in hot water or near radiators, stoves or other sources of heat. Do NOT puncture or incinerate container even when empty. Do NOT store at a room temperature over 50°C. Keep away from open flames or sparks.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. May irritate eyes, nose and throat. Avoid contact with mouth, eyes, skin and clothing. Avoid breathing fumes or vapours. Wear rubber gloves during application of this

product. Avoid contact with pet until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Avoid direct spray of dog's mouth, face, eyes and genitals. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

FIRST AID

HUMANS: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF**

INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label, or product name and P.C.P. Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: This product contains a pesticide that is a cholinesterase inhibitor (an anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison control centre at once. Atropine is antidotal. Acute symptoms of overdosage in dogs and cats include diarrhea, salivation, vomiting, muscular tremors and weakness. Contact a veterinarian immediately. Contains a petroleum distillate.

STORAGE: Store container in a cool area away from heat and open flames.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.